

# 1993 Calypso I-400

<b>Year:</b>	1993
<b>Model:</b>	Calypso I 7'1" X 7'1"
<b>Series:</b>	400
<b>Blower:</b>	1hp 240V motor 6500-106
<b>Board:</b>	400 circuit board 6600-032
<b>Transformer:</b>	240V - 12V 6560-272
<b>Heater:</b>	5.5kW 240V Stainless Steel Straight High Flow Heater 6500-211
<b>Panel:</b>	400 panel 6600-493
<b>Pump #1:</b>	1.5hp 2sp 240V Hayward LX 6500-153
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	240V Grasslin timer 6560-859
<b>Sanitizer:</b>	No standard circulation pump, no standard ozone
<b>Therapy Jets:</b>	4 Select-a-Sage
<b>Whirlpool:</b>	1 Swimjet
<b>Therapy Seat:</b>	4 Accu-Pressure
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	2
<b>Diverter:</b>	1 3-way
<b>Air Injectors:</b>	14 Ultem style
<b>Hand Rails:</b>	1 9.5", 1 24" 9.5" Rail: 6570-501, 24" Rail: 6570-505, Grommets: 6540-651 (2), 6540-652 (2)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481

# 1993 Montego 400LX

<b>Year:</b>	1993
<b>Model:</b>	Montego 7'11" X 7'11"
<b>Series:</b>	400LX
<b>Blower:</b>	1hp 240V motor 6500-106
<b>Board:</b>	600 2-pump circuit board 6600-033
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5kW 240V Stainless Steel Straight High flow heater 6500-211
<b>Panel:</b>	400 panel 6600-493
<b>Pump #1:</b>	1.5hp 2sp 240V Hayward LX 6500-153
<b>Pump #2:</b>	1.5hp 1sp 240V Hayward LX 6500-199
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	240V Grasslin timer 6560-859
<b>Sanitizer:</b>	No standard circulation pump, no standard ozone
<b>Therapy Jets:</b>	5 Select-a-Sage
<b>Whirlpool:</b>	1 Swimjet
<b>Therapy Seat:</b>	5 Accu-Pressure
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	3
<b>Diverter:</b>	1 3-way
<b>Air Injectors:</b>	14 Ultem style
<b>Hand Rails:</b>	1 9.5", 1 24" Rail: 9.5" 6570-501, 24" 6570-505, Grommets: 6540-651 (2), 6540-652 (2)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481

# 1993 Rio 400

<b>Year:</b>	1993
<b>Model:</b>	Rio 7'4" X 6'5"
<b>Series:</b>	400
<b>Blower:</b>	1hp 240V motor 6500-106
<b>Board:</b>	400 circuit board 6600-032
<b>Transformer:</b>	240V - 12V 6560-272
<b>Heater:</b>	5.5kW 240V Stainless Steel Straight High Flow Heater 6500-211
<b>Panel:</b>	400 panel 6600-493
<b>Pump #1:</b>	1.5hp 2sp 240V Hayward LX 6500-153
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	240V Grasslin timer 6560-859
<b>Sanitizer:</b>	No standard circulation pump, no standard ozone
<b>Therapy Jets:</b>	4 Select-a-Sage
<b>Whirlpool:</b>	1 Swimjet
<b>Therapy Seat:</b>	4 Accu-Pressure
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	2
<b>Diverter:</b>	1 3-way
<b>Air Injectors:</b>	14 Ultem style
<b>Hand Rails:</b>	1 24" Rail: 6570-505, Grommets: 6540-652 (2)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481

# 1993 Tango 400

<b>Year:</b>	1993
<b>Model:</b>	Tango 6'8" X 5'0"
<b>Series:</b>	400
<b>Blower:</b>	1hp 240V motor 6500-106
<b>Board:</b>	400 circuit board 6600-032
<b>Transformer:</b>	240V - 12V 6560-272
<b>Heater:</b>	5.5kW@240V Straight High flow heater 6500-211
<b>Panel:</b>	400 panel 6600-493
<b>Pump #1:</b>	1.5hp 2sp 240V Hayward LX 6500-153
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	240V Grasslin timer 6560-859
<b>Sanitizer:</b>	N/A
<b>Therapy Jets:</b>	4 Select-a-Sage
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	4 Accu-Pressure
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	1
<b>Diverter:</b>	N/A
<b>Air Injectors:</b>	10 Ultem style
<b>Hand Rails:</b>	2 9.5" Rails: 6570-501, Grommets: 6540-651 (4)
<b>Filter:</b>	40 sq. ft. 2" hole 6540-495

# 1993 Cameo 600

<b>Year:</b>	1993
<b>Model:</b>	Cameo 7'5" X 7'5"
<b>Series:</b>	600
<b>Blower:</b>	1hp, 240V motor 6500-106
<b>Board:</b>	600 2-pump board 6600-033
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5kW 240V Stainless Steel Curved High Flow Heater 6500-214
<b>Panel:</b>	600 panel 6600-693
<b>Pump #1:</b>	2hp 2sp 240V Hayward LX Hayward LX: 6500-152
<b>Pump #2:</b>	1.5hp 1sp 240V Hayward LX Hayward LX: 6500-199
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	240V Grasslin timer 6560-859
<b>Sanitizer:</b>	No standard circulation pump, no standard ozone
<b>Therapy Jets:</b>	6 Select-a-Sage
<b>Whirlpool:</b>	1 Swimjets
<b>Therapy Seat:</b>	8 Accu-Pressure
<b>Foot Jets:</b>	4 Vertical Select-a-Sage
<b>Air Controls:</b>	4
<b>Diverter:</b>	2 3-way
<b>Air Injectors:</b>	14 Ultem style
<b>Hand Rails:</b>	1 9.5", 1 24" Rail: 9.5" 6570-501, 24" 6570-505, Grommets: 6540-651 (2), 6540-652 (2)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481

# 1993 Capri 600

<b>Year:</b>	1993
<b>Model:</b>	Capri 6'11" X 5'8"
<b>Series:</b>	600
<b>Blower:</b>	1hp, 240V motor 6500-106
<b>Board:</b>	600 1-pump circuit board 6600-043
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5 kW 240V Stainless Steel Curved High Flow Heater 6500-214
<b>Panel:</b>	600 panel 6600-693
<b>Pump #1:</b>	2hp 2sp 240V Hayward LX Hayward LX: 6500-152
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	240V Grasslin timer 6560-859
<b>Sanitizer:</b>	No standard circulation pump, no standard ozone
<b>Therapy Jets:</b>	6 Select-a-Sage
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	8 Accu-Pressure
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	2
<b>Diverter:</b>	1 3-way
<b>Air Injectors:</b>	10 Ultem style
<b>Hand Rails:</b>	1 24" Rail: 6570-505, Grommets: 6540-652 (2)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481

# 1993 Marin 600

<b>Year:</b>	1993
<b>Model:</b>	Marin 7'5" X 6'4"
<b>Series:</b>	600
<b>Blower:</b>	1hp, 240V motor 6500-106
<b>Board:</b>	600 1-pump circuit board 6600-043
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5 kW 240V Stainless Steel Curved High Flow Heater 6500-214
<b>Panel:</b>	600 panel 6600-693
<b>Pump #1:</b>	2hp 2sp 240V Hayward LX Hayward LX: 6500-152
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	240V Grasslin timer 6560-859
<b>Sanitizer:</b>	No standard circulation pump, no standard ozone
<b>Therapy Jets:</b>	6 Select-a-Sage
<b>Whirlpool:</b>	1 Swimjet in footwell
<b>Therapy Seat:</b>	8 Accu-Pressure
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	3
<b>Diverter:</b>	2 3-way
<b>Air Injectors:</b>	14 Ultem style
<b>Hand Rails:</b>	1 9.5" Rail: 6570-501, Grommets: 6540-651 (2)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481

# 1993 Maxxus 600

<b>Year:</b>	1993
<b>Model:</b>	Maxxus 8'3" X 8'3"
<b>Series:</b>	600
<b>Blower:</b>	1hp, 240V motor 6500-106
<b>Board:</b>	600 2-pump circuit board 6600-033
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5 kW 240V Stainless Steel Curved High Flow Heater 6500-214
<b>Panel:</b>	600 panel 6600-693
<b>Pump #1:</b>	2hp 2sp 240V Hayward LX Hayward LX: 6500-152
<b>Pump #2:</b>	1.5hp 1sp 240V Hayward LX Hayward LX: 6500-199
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	240V Grasslin timer 6560-859
<b>Sanitizer:</b>	No standard circulation pump, no standard ozone
<b>Therapy Jets:</b>	6 Select-a-Sage
<b>Whirlpool:</b>	1 Swimjets
<b>Therapy Seat:</b>	8 Accu-Pressure
<b>Foot Jets:</b>	4 Vertical Select-a-Sage
<b>Air Controls:</b>	4
<b>Diverter:</b>	2 3-way
<b>Air Injectors:</b>	14 Ultem style
<b>Hand Rails:</b>	4 9.5" Rail: 6570-501, Grommets: 6540-651 (8)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481



# 1993 Royale 600

<b>Year:</b>	1993
<b>Model:</b>	Royale 8'3" X 8'3"
<b>Series:</b>	600
<b>Blower:</b>	1hp, 240V motor 6500-106
<b>Board:</b>	600 2-pump circuit board 6600-033
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5 kW 240V Stainless Steel Curved High Flow Heater 6500-214
<b>Panel:</b>	600- panel 6600-693
<b>Pump #1:</b>	2hp 2sp 240V Hayward LX Hayward LX: 6500-152
<b>Pump #2:</b>	1.5hp 1sp 240V Hayward LX Hayward LX: 6500-199
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	240V Grasslin timer 6560-859
<b>Sanitizer:</b>	No standard circulation pump, no standard ozone
<b>Therapy Jets:</b>	6 Select-a-Sage
<b>Whirlpool:</b>	1 Swimjets
<b>Therapy Seat:</b>	8 Accu-Pressure
<b>Foot Jets:</b>	4 Vertical Select-a-Sage
<b>Air Controls:</b>	4
<b>Diverter:</b>	2 3-way
<b>Air Injectors:</b>	14 Ultem style
<b>Hand Rails:</b>	1 9.5", 1 24" Rail: 9.5" 6570-501, 24" 6570-505, Grommets: 6540-651 (2), 6540-652 (2)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481

# 1993 Cameo 800

<b>Year:</b>	1993
<b>Model:</b>	Cameo 7'5" X 7'5"
<b>Series:</b>	800
<b>Blower:</b>	1hp, 240V motor 6500-106
<b>Board:</b>	800 circuit board with 1.24C eprom, can be replaced with 850 circuit board with 1.27C eprom Board: 6600-040 or 6600-014, Eprom: 6660-246 or 6660-250
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5kW 240V Stainless Steel Curved High Flow Heater 6500-214
<b>Panel:</b>	800 2-pump panel 6600-892
<b>Pump #1:</b>	2.6hp 2sp 240V Hayward 6500-171
<b>Pump #2:</b>	2hp 1sp 240V 6500-172
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	240V UV Sunzone, no standard circulation pump Ozone: 6472-625
<b>Therapy Jets:</b>	7 Select-a-Sage (2 with Sunstorm rotating face)
<b>Whirlpool:</b>	2 Swimjets
<b>Therapy Seat:</b>	10 Accu-Pressure
<b>Foot Jets:</b>	4 Vertical Select-a-Sage
<b>Air Controls:</b>	4
<b>Diverter:</b>	2 3-way
<b>Air Injectors:</b>	14 Ultem style
<b>Hand Rails:</b>	1 9.5", 1 24" Rail: 9.5" 6570-501, 24" 6570-505, Grommets: 6540-651 (2), 6540-652 (2)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481

# 1993 Capri 800

<b>Year:</b>	1993
<b>Model:</b>	Capri 6'11" X 5'8"
<b>Series:</b>	800
<b>Blower:</b>	1hp, 240V motor 6500-106
<b>Board:</b>	800 circuit board with 1.24C, can be replaced with 850 circuit board with a 1.27C eprom Board: 6600-040 or 6600-014, Eprom: 6660-246 or 6660-250
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5 kW 240V Stainless Steel Curved High Flow Heater 6500-214
<b>Panel:</b>	800 1-pump panel Panel: 6600-893
<b>Pump #1:</b>	2.6hp 2sp 240V Hayward 6500-171
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	240V UV Sunzone, no standard circulation pump Ozone: 6472-625
<b>Therapy Jets:</b>	6 Select-a-Sage (2 with Sunstorm rotating face)
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	8 Accu-Pressure
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	2
<b>Diverter:</b>	1 3-way
<b>Air Injectors:</b>	10 Ultem style
<b>Hand Rails:</b>	1 24" Rail: 6570-505, Grommets: 6540-652 (2)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481

# 1993 Marin 800

<b>Year:</b>	1993
<b>Model:</b>	Marin 7'5" X 6'4"
<b>Series:</b>	800
<b>Blower:</b>	1hp, 240V motor 6500-106
<b>Board:</b>	800 circuit board with 1.24C eprom, can be replaced with 850 circuit board with 1.27C eprom Board: 6600-040 or 6600-014, Eprom: 6660-246 or 6660-250
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5 kW 240V Stainless Steel Curved High Flow Heater 6500-214
<b>Panel:</b>	800 1-pump panel Panel: 6600-893
<b>Pump #1:</b>	2.6hp 2sp 240V Hayward 6500-171
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	240V UV Sunzone, no standard circulation pump Ozone: 6472-625
<b>Therapy Jets:</b>	7 Select-a-Sage (2 with Sunstorm rotating face)
<b>Whirlpool:</b>	2 Swimjets in footwell
<b>Therapy Seat:</b>	10 Accu-Pressure
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	3
<b>Diverter:</b>	2 3-way
<b>Air Injectors:</b>	14 Ultem style
<b>Hand Rails:</b>	1 9.5" Rail: 6570-501, Grommets: 6540-651 (2)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481

# 1993 Maxxus 800

<b>Year:</b>	1993
<b>Model:</b>	Maxxus 8'3" X 8'3"
<b>Series:</b>	800
<b>Blower:</b>	1hp, 240V motor 6500-106
<b>Board:</b>	800 circuit board with 1.24C eprom, can be replaced with 850 circuit board with 1.27C eprom Board: 6600-040 or 6600-014, Eprom: 6660-246 or 6660-250
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5 kW 240V Stainless Steel Curved High Flow Heater 6500-214
<b>Panel:</b>	800 2-pump panel 6600-892
<b>Pump #1:</b>	2.6hp 2sp 240V Hayward 6500-171
<b>Pump #2:</b>	2hp 1sp 240V Hayward 6500-172
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	240V UV Sunzone, no standard circulation pump Ozone: 6472-625
<b>Therapy Jets:</b>	7 Select-a-Sage (2 with Sunstorm rotating face)
<b>Whirlpool:</b>	2 Swimjets
<b>Therapy Seat:</b>	10 Accu-Pressure
<b>Foot Jets:</b>	4 Vertical Select-a-Sage
<b>Air Controls:</b>	4
<b>Diverter:</b>	2 3-way
<b>Air Injectors:</b>	14 Ultem style
<b>Hand Rails:</b>	4 9.5" Rail: 6570-501, Grommets: 6540-651 (8)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481

# 1993 Royale 800

<b>Year:</b>	1993
<b>Model:</b>	Royale 8'3" X 8'3"
<b>Series:</b>	800
<b>Blower:</b>	1hp, 240V motor 6500-106
<b>Board:</b>	800 circuit board with 1.24C eprom, can be replaced with 850 circuit board with 1.27C eprom Board: 6600-040 or 6600-014, Eprom: 6660-246 or 6660-250
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5 kW 240V Stainless Steel Curved High Flow Heater 6500-214
<b>Panel:</b>	800 2-pump panel 6600-892
<b>Pump #1:</b>	2.6hp 2sp 240V Hayward 6500-171
<b>Pump #2:</b>	2hp 1sp 240V Hayward 6500-172
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-105
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-110
<b>Weir Gate:</b>	Sliding weir gate 9800-104
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	240V UV Sunzone, no standard circulation pump Ozone: 6472-625
<b>Therapy Jets:</b>	7 Select-a-Sage (2 with Sunstorm rotating face)
<b>Whirlpool:</b>	2 Swimjets
<b>Therapy Seat:</b>	10 Accu-Pressure
<b>Foot Jets:</b>	4 Vertical Select-a-Sage
<b>Air Controls:</b>	4
<b>Diverter:</b>	2 3-way
<b>Air Injectors:</b>	14 Ultem style
<b>Hand Rails:</b>	1 9.5", 1 24" Rail: 9.5" 6570-501, 24" 6570-505, Grommets: 6540-651 (2), 6540-652 (2)
<b>Filter:</b>	65 sq. ft. 2" hole 6540-481

# 1993 Suntub w/Air Switches

<b>Year:</b>	1993
<b>Model:</b>	Suntub 6'6" round
<b>Series:</b>	Air Switches
<b>Blower:</b>	N/A
<b>Board:</b>	No circuit board, Pack with heater 120V 6500-487
<b>Transformer:</b>	In the Pack
<b>Heater:</b>	4kW@240V, 1.5kW@120V, High flow heater 4kW: 6500-057, 1kW: 6500-052
<b>Panel:</b>	Air Switch 6500-093
<b>Pump #1:</b>	1.5hp 2sp 120V 12:00 rotation 6500-594
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Thermostat 6560-074
<b>Hi-Limit:</b>	Manual 6560-070
<b>Weir Gate:</b>	Suntub filter assembly 6540-485
<b>Timer:</b>	120V Grasslin timer 6000-510
<b>Sanitizer:</b>	N/A
<b>Therapy Jets:</b>	5 Hayward jets
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	N/A
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	1
<b>Diverter:</b>	N/A
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	50 sq. ft. 2" hole 6540-471