

# 1997 Suntub DV 400

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Suntub DV 6'6" round X 34" deep  |
| <b>Series:</b>        | 400  |
| <b>Blower:</b>        | N/A  |
| <b>Board:</b>         | 400 circuit board<br>6600-032  |
| <b>Transformer:</b>   | 120V-12V<br>6560-272   |
| <b>Heater:</b>        | 4kW@240V, 1.5kW@120V, High flow heater<br>6500-056                           |
| <b>Panel:</b>         | Suntub panel<br>6600-051   |
| <b>Pump #1:</b>       | 1.5hp 2sp 120V 12:00 rotation<br>6500-594                                    |
| <b>Pump #2:</b>       | N/A  |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-134 |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-062 |
| <b>Weir Gate:</b>     | Suntub filter assembly<br>6540-485   |
| <b>Timer:</b>         | 120V Grasslin timer<br>6560-700  |
| <b>Sanitizer:</b>     | N/A  |
| <b>Therapy Jets:</b>  | 7 Magna<br>6540-054  |
| <b>Whirlpool:</b>     | N/A  |
| <b>Therapy Seat:</b>  | N/A  |
| <b>Foot Jets:</b>     | N/A  |
| <b>Air Controls:</b>  | 1  |
| <b>Diverter:</b>      | N/A  |
| <b>Air Injectors:</b> | N/A  |
| <b>Hand Rails:</b>    | N/A  |
| <b>Filter:</b>        | 50 sq. ft. 2" hole<br>6540-471   |

# 1997 Suntub SV 400

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Suntub SV 6'6" round X 29" deep  |
| <b>Series:</b>        | 400  |
| <b>Blower:</b>        | N/A  |
| <b>Board:</b>         | 400 circuit board<br>6600-032  |
| <b>Transformer:</b>   | 120V-12V<br>6560-272   |
| <b>Heater:</b>        | 4kW@240V, 1.5kW@120V, High flow heater<br>6500-056                           |
| <b>Panel:</b>         | Suntub panel<br>6600-051   |
| <b>Pump #1:</b>       | 1.5hp 2sp 120V 12:00 rotation<br>6500-594                                    |
| <b>Pump #2:</b>       | N/A  |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-134 |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-062 |
| <b>Weir Gate:</b>     | Suntub filter assembly<br>6540-485   |
| <b>Timer:</b>         | 120V Grasslin timer<br>6560-700  |
| <b>Sanitizer:</b>     | N/A  |
| <b>Therapy Jets:</b>  | 5 Magna<br>6540-054  |
| <b>Whirlpool:</b>     | N/A  |
| <b>Therapy Seat:</b>  | N/A  |
| <b>Foot Jets:</b>     | N/A  |
| <b>Air Controls:</b>  | 1  |
| <b>Diverter:</b>      | N/A  |
| <b>Air Injectors:</b> | N/A  |
| <b>Hand Rails:</b>    | N/A  |
| <b>Filter:</b>        | 50 sq. ft. 2" hole<br>6540-471   |

# 1997 Suntub SV 400

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Suntub SV 6'3.5" X 6'10"   |
| <b>Series:</b>        | 400  |
| <b>Blower:</b>        | N/A  |
| <b>Board:</b>         | 400 circuit board<br>6600-032  |
| <b>Transformer:</b>   | 120V-12V<br>6560-272   |
| <b>Heater:</b>        | 4kW@240V, 1.5kW@120V, High flow heater<br>6500-056                           |
| <b>Panel:</b>         | Suntub panel<br>6600-051   |
| <b>Pump #1:</b>       | 1.5hp 2sp 120V 12:00 rotation<br>6500-594                                    |
| <b>Pump #2:</b>       | N/A  |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-134 |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-062 |
| <b>Weir Gate:</b>     | Suntub filter assembly<br>6540-485   |
| <b>Timer:</b>         | 120V Grasslin timer<br>6560-700  |
| <b>Sanitizer:</b>     | N/A  |
| <b>Therapy Jets:</b>  | 7 Magna<br>6540-054  |
| <b>Whirlpool:</b>     | N/A  |
| <b>Therapy Seat:</b>  | N/A  |
| <b>Foot Jets:</b>     | N/A  |
| <b>Air Controls:</b>  | 1  |
| <b>Diverter:</b>      | N/A  |
| <b>Air Injectors:</b> | N/A  |
| <b>Hand Rails:</b>    | N/A  |
| <b>Filter:</b>        | 50 sq. ft. 2" hole<br>6540-471   |

# 1997 Calypso I-650

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Calypso I 7'4" X 7'4"  |
| <b>Series:</b>        | 650 (1/1/97 to 5/31/97)  |
| <b>Blower:</b>        | 1hp 240V motor<br>6500-106   |
| <b>Board:</b>         | 650 1-pump finger board<br>6600-055  |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274   |
| <b>Heater:</b>        | 5.5kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 650 panel<br>6600-693  |
| <b>Pump #1:</b>       | 2.5hp 2sp 240V 1:30 rotation<br>6500-261   |
| <b>Pump #2:</b>       | N/A  |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                         |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                         |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104  |
| <b>Timer:</b>         | 240V Grasslin timer<br>6560-859  |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone  |
| <b>Therapy Jets:</b>  | 5 Magna, 4 Micro Magna<br>Magna: 6540-054, Micro Magna: 6540-067                                     |
| <b>Whirlpool:</b>     | N/A  |
| <b>Therapy Seat:</b>  | 4 Magna rotator<br>6540-047  |
| <b>Foot Jets:</b>     | 3 Vertical Magna<br>6540-054   |
| <b>Air Controls:</b>  | 3  |
| <b>Diverter:</b>      | N/A  |
| <b>Air Injectors:</b> | 14 Barbed style  |
| <b>Hand Rails:</b>    | 1 9.5", 1 24"<br>9.5" Rail: 6570-501, 24" Rail: 6570-505, Grommets: 6540-651 (2),<br>6540-652 (2)    |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490  |

# 1997 Calypso II-650

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Calypso II 7'4" X 7'4"   |
| <b>Series:</b>        | 650 (1/1/97 to 5/31/97)  |
| <b>Blower:</b>        | 1hp 240V motor<br>6500-106   |
| <b>Board:</b>         | 650 2-pump finger board<br>6600-053  |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274   |
| <b>Heater:</b>        | 5.5kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 650 panel<br>6600-693  |
| <b>Pump #1:</b>       | 2hp 2sp 240V 1:30 rotation<br>6500-264   |
| <b>Pump #2:</b>       | 2hp 1sp 240V 9:00 rotation<br>6500-266   |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                         |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                         |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104  |
| <b>Timer:</b>         | 240V Grasslin timer<br>6560-859  |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone  |
| <b>Therapy Jets:</b>  | 8 Magna, 4 Micro Magna<br>Magna: 6540-054, Micro Magna: 6540-067                                     |
| <b>Whirlpool:</b>     | 1 Hydro-Air  |
| <b>Therapy Seat:</b>  | 6 Magna rotator<br>6540-047  |
| <b>Foot Jets:</b>     | 3 Vertical Magna<br>6540-054   |
| <b>Air Controls:</b>  | 3  |
| <b>Diverter:</b>      | 1 2-way  |
| <b>Air Injectors:</b> | 14 Barbed style  |
| <b>Hand Rails:</b>    | 1 9.5", 1 24"<br>9.5" Rail: 6570-501, 24" Rail: 6570-505, Grommets: 6540-651 (2),<br>6540-652 (2)    |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490  |

# 1997 Montego 650

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Montego 7'4" X 7'4"  |
| <b>Series:</b>        | 650 (1/1/97 to 5/31/97)  |
| <b>Blower:</b>        | 1hp 240V motor<br>6500-106   |
| <b>Board:</b>         | 650 2-pump finger board<br>6600-053  |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274   |
| <b>Heater:</b>        | 5.5kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 650-panel<br>6600-693  |
| <b>Pump #1:</b>       | 2hp 2sp 240V 1:30 rotation<br>6500-264   |
| <b>Pump #2:</b>       | 2hp 1sp 240V 9:00 rotation<br>6500-266   |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                         |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                         |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104  |
| <b>Timer:</b>         | 240V Grasslin timer<br>6560-859  |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone  |
| <b>Therapy Jets:</b>  | 8 Magna<br>6540-054  |
| <b>Whirlpool:</b>     | 1 Hydro-Air  |
| <b>Therapy Seat:</b>  | 6 Magna rotator, 2 Micro Magna<br>Magna: 6540-047, Micro Magna: 6540-068                             |
| <b>Foot Jets:</b>     | 4 Vertical Magna<br>6540-054   |
| <b>Air Controls:</b>  | 3  |
| <b>Diverter:</b>      | 1 2-way  |
| <b>Air Injectors:</b> | 14 Barbed style  |
| <b>Hand Rails:</b>    | 2 9.5"<br>Rail: 6570-501, Grommets: 6540-651 (4)   |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490  |

# 1997 Rio 650

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Rio 7'4" X 6'7"  |
| <b>Series:</b>        | 650 (1/1/97 to 5/31/97)  |
| <b>Blower:</b>        | 1hp 240V motor<br>6500-106   |
| <b>Board:</b>         | 650 1-pump finger board<br>6600-055  |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274   |
| <b>Heater:</b>        | 5.5kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 650 panel<br>6600-693  |
| <b>Pump #1:</b>       | 2hp 2sp 240V 1:30 rotation<br>6500-264   |
| <b>Pump #2:</b>       | N/A  |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                         |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                         |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104  |
| <b>Timer:</b>         | 240V Grasslin timer<br>6560-859  |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone  |
| <b>Therapy Jets:</b>  | 5 Magna<br>6540-054  |
| <b>Whirlpool:</b>     | 1 Hydro-Air in footwell  |
| <b>Therapy Seat:</b>  | 4 Magna rotator, 2 Micro Magna<br>Magna rotator: 6540-047, Micro Magna: 6540-068                     |
| <b>Foot Jets:</b>     | N/A  |
| <b>Air Controls:</b>  | 3  |
| <b>Diverter:</b>      | 1 3-way  |
| <b>Air Injectors:</b> | 12 Barbed style  |
| <b>Hand Rails:</b>    | 1 9.5"<br>Rail: 6570-501, Grommets: 6540-651 (2)   |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490  |

# 1997 Tango 650

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Tango 6'8" X 5'1"  |
| <b>Series:</b>        | 650 (1/1/97 to 5/31/97)  |
| <b>Blower:</b>        | N/A  |
| <b>Board:</b>         | 650 1-pump finger board<br>6600-055  |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274   |
| <b>Heater:</b>        | 4kW@240V, 1.5kW@120V, High flow heater<br>6500-056                               |
| <b>Panel:</b>         | 650 panel, no blower<br>6600-695   |
| <b>Pump #1:</b>       | 1.5hp 2sp 120V 12:00 rotation<br>6500-259  |
| <b>Pump #2:</b>       | N/A  |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138     |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128     |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104  |
| <b>Timer:</b>         | 120V Grasslin timer<br>6560-700  |
| <b>Sanitizer:</b>     | N/A  |
| <b>Therapy Jets:</b>  | 6 Magna<br>6540-054  |
| <b>Whirlpool:</b>     | N/A  |
| <b>Therapy Seat:</b>  | 6 Magna rotator, 2 Micro Magna<br>Magna rotator: 6540-047, Micro Magna: 6540-068 |
| <b>Foot Jets:</b>     | 4 Pulsator<br>5040-343   |
| <b>Air Controls:</b>  | 2  |
| <b>Diverter:</b>      | 1 3-way  |
| <b>Air Injectors:</b> | N/A  |
| <b>Hand Rails:</b>    | N/A  |
| <b>Filter:</b>        | 60 sp. Ft. 2" hole<br>6540-495   |



# 1997 Calypso I-750

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Calypso I 7'4" X 7'4"  |
| <b>Series:</b>        | 750 (6/1/97 to 12/31/97)   |
| <b>Blower:</b>        | 1hp 240V motor<br>6500-106   |
| <b>Board:</b>         | 750 Circuit Board with 4.00C Eprom<br>Board: 6600-059, Eprom: 6660-263                               |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274   |
| <b>Heater:</b>        | 5.5kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 750 1-pump<br>6600-710   |
| <b>Pump #1:</b>       | 2.5hp 2sp 240V 1:30 rotation<br>6500-261   |
| <b>Pump #2:</b>       | N/A  |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                         |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                         |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104  |
| <b>Timer:</b>         | Electronic Dallas time chip on circuit board<br>6760-024   |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone  |
| <b>Therapy Jets:</b>  | 5 Magna, 4 Micro Magna<br>Magna: 6540-141, Micro Magna: 6540-067                                     |
| <b>Whirlpool:</b>     | N/A  |
| <b>Therapy Seat:</b>  | 4 Magna rotator<br>6540-140  |
| <b>Foot Jets:</b>     | 3 Vertical Magna<br>6540-141   |
| <b>Air Controls:</b>  | 3  |
| <b>Diverter:</b>      | N/A  |
| <b>Air Injectors:</b> | 14 Barbed style  |
| <b>Hand Rails:</b>    | 1 9.5", 1 24"<br>9.5" Rail: 6570-501, 24" Rail: 6570-505, Grommets: 6540-651 (2),<br>6540-652 (2)    |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490  |

# 1997 Calypso II-750

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Calypso II 7'4" X 7'4"   |
| <b>Series:</b>        | 750 (6/1/97 to 12/31/97)   |
| <b>Blower:</b>        | 1hp 240V motor<br>6500-106   |
| <b>Board:</b>         | 750 Circuit Board with 4.00C Eprom<br>Board: 6600-059, Eprom: 6660-263                               |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274   |
| <b>Heater:</b>        | 5.5kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 750 2-pump<br>6600-708   |
| <b>Pump #1:</b>       | 2hp 2sp 240V 1:30 rotation<br>6500-264   |
| <b>Pump #2:</b>       | 2hp 1sp 240V 9:00 rotation<br>6500-266   |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                         |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                         |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104  |
| <b>Timer:</b>         | Electronic Dallas time chip on circuit board<br>6760-024   |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone  |
| <b>Therapy Jets:</b>  | 8 Magna, 4 Micro Magna<br>Magna: 6540-141, Micro Magna: 6540-067                                     |
| <b>Whirlpool:</b>     | 1 Hydro-Air  |
| <b>Therapy Seat:</b>  | 6 Magna rotator<br>6540-140  |
| <b>Foot Jets:</b>     | 3 Vertical Magna<br>6540-141   |
| <b>Air Controls:</b>  | 3  |
| <b>Diverter:</b>      | 1 2-way  |
| <b>Air Injectors:</b> | 14 Barbed style  |
| <b>Hand Rails:</b>    | 1 9.5", 1 24"<br>9.5" Rail: 6570-501, 24" Rail: 6570-505, Grommets: 6540-651 (2),<br>6540-652 (2)    |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490  |

# 1997 Montego 750

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Montego 7'4" X 7'4"  |
| <b>Series:</b>        | 750 (6/1/97 to 12/31/97)   |
| <b>Blower:</b>        | 1hp 240V motor<br>6500-106   |
| <b>Board:</b>         | 750 Circuit Board with 4.00C Eprom<br>Board: 6600-059, Eprom: 6660-263                               |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274   |
| <b>Heater:</b>        | 5.5kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 750 2-pump<br>6600-708   |
| <b>Pump #1:</b>       | 2hp 2sp 240V 1:30 rotation<br>6500-264   |
| <b>Pump #2:</b>       | 2hp 1sp 240V 9:00 rotation<br>6500-266   |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                         |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                         |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104  |
| <b>Timer:</b>         | Electronic Dallas time chip on circuit board<br>6760-024   |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone  |
| <b>Therapy Jets:</b>  | 8 Magna<br>6540-141  |
| <b>Whirlpool:</b>     | 1 Hydro-Air  |
| <b>Therapy Seat:</b>  | 6 Magna rotator, 2 Micro Magna<br>Magna rotator: 6540-140, Micro Magna: 6540-068                     |
| <b>Foot Jets:</b>     | 4 Vertical Magna<br>6540-141   |
| <b>Air Controls:</b>  | 3  |
| <b>Diverter:</b>      | 1 2-way  |
| <b>Air Injectors:</b> | 14 Barbed style  |
| <b>Hand Rails:</b>    | 2 9.5"<br>Rail: 6570-501, Grommets: 6540-651 (4)   |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490  |

# 1997 Rio 750

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Rio 7'4" X 6'7"  |
| <b>Series:</b>        | 750 (6/1/97 to 12/31/97)   |
| <b>Blower:</b>        | 1hp 240V motor<br>6500-106   |
| <b>Board:</b>         | 750 Circuit Board with 4.00C Eprom<br>Board: 6600-059, Eprom: 6660-263                               |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274   |
| <b>Heater:</b>        | 5.5kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 750 1-pump<br>6600-710   |
| <b>Pump #1:</b>       | 2hp 2sp 240V 1:30 rotation<br>6500-264   |
| <b>Pump #2:</b>       | N/A  |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                         |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                         |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104  |
| <b>Timer:</b>         | Electronic Dallas time chip on circuit board<br>6760-024   |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone  |
| <b>Therapy Jets:</b>  | 5 Magna<br>6540-141  |
| <b>Whirlpool:</b>     | 1 Hydro-Air in footwell  |
| <b>Therapy Seat:</b>  | 4 Magna rotator, 2 Micro Magna<br>Magna rotator: 6540-140, Micro Magna: 6540-068                     |
| <b>Foot Jets:</b>     | N/A  |
| <b>Air Controls:</b>  | 3  |
| <b>Diverter:</b>      | 1 3-way  |
| <b>Air Injectors:</b> | 12 Barbed style  |
| <b>Hand Rails:</b>    | 1 9.5"<br>Rail: 6570-501, Grommets: 6540-651 (2)   |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490  |

# 1997 Tango 750

|                       |  |
|-----------------------|--|
| <b>Year:</b>          | 1997   |
| <b>Model:</b>         | Tango 6'8" X 5'1"  |
| <b>Series:</b>        | 750 (6/1/97 to 12/31/97)   |
| <b>Blower:</b>        | N/A  |
| <b>Board:</b>         | 750 Circuit Board with 4.00C Eprom<br>Board: 6600-059, Eprom: 6660-263           |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274   |
| <b>Heater:</b>        | 4kW@240V, 1.5kW@120V, High flow heater<br>6500-056                               |
| <b>Panel:</b>         | 750 1-pump, no blower<br>6600-712  |
| <b>Pump #1:</b>       | 1.5hp 2sp 120V 12:00 rotation<br>6500-259  |
| <b>Pump #2:</b>       | N/A  |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138     |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128     |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104  |
| <b>Timer:</b>         | Electronic Dallas time chip on circuit board<br>6760-024                         |
| <b>Sanitizer:</b>     | N/A  |
| <b>Therapy Jets:</b>  | 6 Magna<br>6540-141  |
| <b>Whirlpool:</b>     | N/A  |
| <b>Therapy Seat:</b>  | 6 Magna rotator, 2 Micro Magna<br>Magna rotator: 6540-140, Micro Magna: 6540-068 |
| <b>Foot Jets:</b>     | 4 Pulsator<br>5040-343   |
| <b>Air Controls:</b>  | 2  |
| <b>Diverter:</b>      | 1 3-way  |
| <b>Air Injectors:</b> | N/A  |
| <b>Hand Rails:</b>    | N/A  |
| <b>Filter:</b>        | 60 sp. Ft. 2" hole<br>6540-495   |

# 1997 Cameo 850

|                       |   |
|-----------------------|---|
| <b>Year:</b>          | 1997  |
| <b>Model:</b>         | Cameo 7'7" X 7'7"   |
| <b>Series:</b>        | 850   |
| <b>Blower:</b>        | 1hp, 240V motor<br>6500-106   |
| <b>Board:</b>         | 850 2-pump with 1.29E eprom<br>Board: 6600-018, Eprom: 6660-262                                       |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274  |
| <b>Heater:</b>        | 5.5 kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 850 2-pump panel, 1 850 2-pump remote panel<br>Panel: 6600-803, Remote: 6600-802                      |
| <b>Pump #1:</b>       | 2.5hp 2sp 240V 1:30 rotation<br>6500-261  |
| <b>Pump #2:</b>       | #2-2.5hp 1sp 240V 9:00 rotation<br>6500-263   |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                          |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                          |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104   |
| <b>Timer:</b>         | Electronic Dallas time chip on circuit board<br>6760-024  |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone   |
| <b>Therapy Jets:</b>  | 8 Intellijet<br>6540-372  |
| <b>Whirlpool:</b>     | 2 Hydro-Air   |
| <b>Therapy Seat:</b>  | 14 Accu-Pressure  |
| <b>Foot Jets:</b>     | 5 Vertical Select-a-Sage, 2 Accu-Pressure calf jets   |
| <b>Air Controls:</b>  | 4   |
| <b>Diverter:</b>      | 2 3-way   |
| <b>Air Injectors:</b> | 14 Barbed style   |
| <b>Hand Rails:</b>    | 2 9.5"<br>Rail: 6570-501, Grommets: 6540-651 (4)  |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490   |

# 1997 Capri 850

|                       |   |
|-----------------------|---|
| <b>Year:</b>          | 1997  |
| <b>Model:</b>         | Capri 7'0" X 5'9"   |
| <b>Series:</b>        | 850   |
| <b>Blower:</b>        | 1hp, 240V motor<br>6500-106   |
| <b>Board:</b>         | 850 1-pump with 1.29E eprom<br>Board: 6600-018, Eprom: 6660-262                                       |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274  |
| <b>Heater:</b>        | 5.5 kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 850 1-pump panel<br>Panel: 6600-893   |
| <b>Pump #1:</b>       | 2hp 2sp 240V 9:00 rotation<br>6500-265  |
| <b>Pump #2:</b>       | N/A   |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                          |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                          |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104   |
| <b>Timer:</b>         | Electronic Dallas time chip on circuit board<br>6760-024  |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone   |
| <b>Therapy Jets:</b>  | 7 Intellijet<br>6540-372  |
| <b>Whirlpool:</b>     | N/A   |
| <b>Therapy Seat:</b>  | 12 Accu-Pressure  |
| <b>Foot Jets:</b>     | N/A   |
| <b>Air Controls:</b>  | 2   |
| <b>Diverter:</b>      | 1 3-way   |
| <b>Air Injectors:</b> | 10 Barbed style   |
| <b>Hand Rails:</b>    | 1 24"<br>Rail: 6570-505, Grommets: 6540-652 (2)   |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490   |

# 1997 Corum 850

|                       |   |
|-----------------------|---|
| <b>Year:</b>          | 1997  |
| <b>Model:</b>         | Corum 6'5" X 7'4"   |
| <b>Series:</b>        | 850   |
| <b>Blower:</b>        | 1hp, 240V motor<br>6500-106   |
| <b>Board:</b>         | 850 1-pump with 1.29E eprom<br>Board: 6600-018, Eprom: 6660-262                                       |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274  |
| <b>Heater:</b>        | 5.5 kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 850 1-pump panel<br>6600-893  |
| <b>Pump #1:</b>       | 2hp 2sp 240V 1:30 rotation<br>6500-264  |
| <b>Pump #2:</b>       | N/A   |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                          |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                          |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104   |
| <b>Timer:</b>         | Electronic Dallas time chip on circuit board<br>6760-024  |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone   |
| <b>Therapy Jets:</b>  | 7 Intellijet<br>6540-372  |
| <b>Whirlpool:</b>     | 1 Hydro-Air   |
| <b>Therapy Seat:</b>  | 12 Accu-Pressure  |
| <b>Foot Jets:</b>     | N/A   |
| <b>Air Controls:</b>  | 3   |
| <b>Diverter:</b>      | 2 3-way   |
| <b>Air Injectors:</b> | 14 Barbed style   |
| <b>Hand Rails:</b>    | 1 9.5"<br>Rail: 6570-501, Grommets: 6540-651 (2)  |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490   |



# 1997 Marin 850

|                       |   |
|-----------------------|---|
| <b>Year:</b>          | 1997  |
| <b>Model:</b>         | Marin 7'4" X 6'7"   |
| <b>Series:</b>        | 850   |
| <b>Blower:</b>        | 1hp, 240V motor<br>6500-106   |
| <b>Board:</b>         | 850 2-pump with 1.29E eprom<br>Board: 6600-018, Eprom: 6660-262                                       |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274  |
| <b>Heater:</b>        | 5.5 kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 850 2-pump panel<br>Panel: 6600-892   |
| <b>Pump #1:</b>       | 2hp 2sp 240V 1:30 rotation<br>6500-264  |
| <b>Pump #2:</b>       | 2hp 1sp 240V 9:00 rotation<br>6500-267  |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                          |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                          |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104   |
| <b>Timer:</b>         | Electronic Dallas time chip on circuit board<br>6760-024  |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone   |
| <b>Therapy Jets:</b>  | 6 Intellijet<br>6540-372  |
| <b>Whirlpool:</b>     | 1 Hydro-Air   |
| <b>Therapy Seat:</b>  | 12 Accu-Pressure  |
| <b>Foot Jets:</b>     | 4 Select-a-Sage   |
| <b>Air Controls:</b>  | 4   |
| <b>Diverter:</b>      | 2 3-way   |
| <b>Air Injectors:</b> | 12 Barbed style   |
| <b>Hand Rails:</b>    | 1 9.5"<br>Rail: 6570-501, Grommets: 6540-651 (2)  |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490   |

# 1997 Optima 850

|                       |   |
|-----------------------|---|
| <b>Year:</b>          | 1997  |
| <b>Model:</b>         | Optima 7'7" X 7'7"  |
| <b>Series:</b>        | 850   |
| <b>Blower:</b>        | 1hp, 240V motor<br>6500-106   |
| <b>Board:</b>         | 850 2-pump with 1.29E eprom<br>Board: 6600-018, Eprom: 6660-262                                       |
| <b>Transformer:</b>   | 240V - 12V<br>6560-274  |
| <b>Heater:</b>        | 5.5 kW 240V Stainless Steel Vertical Bypass Heater with Foam Wrap<br>Heater: 6500-301, Wrap: 6560-012 |
| <b>Panel:</b>         | 850 2-pump panel, 1 850 2-pump remote panel<br>Panel: 6600-803, Remote: 6600-802                      |
| <b>Pump #1:</b>       | 2.5hp 2sp 240V 1:30 rotation<br>6500-261  |
| <b>Pump #2:</b>       | #2-2.5hp 1sp 240V 9:00 rotation<br>6500-263   |
| <b>Temp Sensor:</b>   | Boxed end connector, thermistor type, resistance can be checked.<br>6600-138                          |
| <b>Hi-Limit:</b>      | Boxed end connector, thermistor type, resistance can be checked.<br>6600-128                          |
| <b>Weir Gate:</b>     | Sliding weir gate<br>9800-104   |
| <b>Timer:</b>         | Electronic Dallas time chip on circuit board<br>6760-024  |
| <b>Sanitizer:</b>     | No standard circulation pump, no standard ozone   |
| <b>Therapy Jets:</b>  | 8 Intellijet<br>6540-372  |
| <b>Whirlpool:</b>     | 2 Hydro-Air   |
| <b>Therapy Seat:</b>  | 14 Accu-Pressure  |
| <b>Foot Jets:</b>     | 8 vertical Accu-Pressure, 4 Accu-Pressure calf jets   |
| <b>Air Controls:</b>  | 4   |
| <b>Diverter:</b>      | 2 3-way   |
| <b>Air Injectors:</b> | 14 Barbed style   |
| <b>Hand Rails:</b>    | 2 9.5"<br>Rail: 6570-501, Grommets: 6540-651 (4)  |
| <b>Filter:</b>        | 125 sq. ft. 2" hole<br>6540-490   |