

2000 Altamar 850

Year:	2000
Model:	Altamar 7'4" X 6'11"
Series:	850
Blower:	1hp 240V motor 6500-106
Board:	850 circuit board with 1.28G eprom Board: 6600-028, Eprom: 6660-315
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	850 2 pump panel, 850 2 pump remote panel Panel: 6600-830, Remote: 6600-831
Pump #1:	2.5hp 2sp 240V 1:30 rotation 6500-261
Pump #2:	2.5hp 1sp 240V 9:00 rotation 6500-263
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked. 6600-138
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked. 6600-128
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	240V Laing circulation pump, no standard ozone 6500-035
Therapy Jets:	6 Intellijet LX, 6 Mini-Intellijet, 2 Pulsator Intellijet LX: 6000-300, Mini-Intellijet: 6540-347
Whirlpool:	3 Hydro-Air
Therapy Seat:	14 Accu-Pressure
Foot Jets:	2 Vertical Intellijet LX 6000-300
Air Controls:	5
Diverter:	1 3-way
Air Injectors:	14 Barbed style
Hand Rails:	1 9.5" Handrail: 6570-501, Grommets: 6540-651 (2)
Filter:	125 sq. ft. 2" hole 6540-490

2000 Cameo 850

Year:	2000
Model:	Cameo 7'7" X 7'7"
Series:	850
Blower:	1hp 240V motor 6500-106
Board:	850 circuit board with 1.28G eprom Board: 6600-028, Eprom: 6660-315
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	850 2 pump panel, 850 2 pump remote panel Panel: 6600-830, Remote: 6600-831
Pump #1:	2.5hp 2sp 240V 1:30 rotation 6500-261
Pump #2:	2.5hp 1sp 240V 9:00 rotation 6500-263
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked. 6600-138
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked. 6600-128
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	240V Laing circulation pump, no standard ozone 6500-035
Therapy Jets:	8 Intellijet LX 6000-300
Whirlpool:	2 Hydro-Air
Therapy Seat:	14 Accu-Pressure, 2 Accu-Pressure Reflexology Jets
Foot Jets:	2 Vertical Intellijet LX, 3 Hydro-Air, 2 Accu-Pressure calf jets
Air Controls:	5
Diverter:	2 3-way
Air Injectors:	14 barbed style
Hand Rails:	2 9.5" Rail: 6570-501, Grommets: 6540-651 (4)
Filter:	125 sq. ft. 2" hole 6540-490

2000 Capri 850

Year:	2000
Model:	Capri 5'9" X 7'2"
Series:	850
Blower:	1hp 240V motor 6500-106
Board:	850 circuit board with 1.28G eprom Board: 6600-028, Eprom: 6660-315
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	850 1 pump panel Panel: 6600-835
Pump #1:	2.5hp 2sp 240V 9:00 rotation 6500-260
Pump #2:	N/A
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked. 6600-138
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked. 6600-128
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	240V Laing circulation pump, no standard ozone 6500-035
Therapy Jets:	7 Intellijet LX 6000-300
Whirlpool:	N/A
Therapy Seat:	12 Accu-Pressure
Foot Jets:	N/A
Air Controls:	2
Diverter:	1 3-way
Air Injectors:	10 Barbed style
Hand Rails:	1 24" Handrail: 6570-505, Grommets: 6540-652 (2)
Filter:	125 sq. ft. 2" hole 6540-490

2000 Marin 850

Year:	2000
Model:	Marin 7'4" X 6'7"
Series:	850
Blower:	1hp 240V motor 6500-106
Board:	850 circuit board with 1.28G eprom Board: 6600-028, Eprom: 6660-315
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	850 2 pump panel Panel: 6600-830
Pump #1:	2hp 2sp 240V 1:30 rotation 6500-264
Pump #2:	2hp 1sp 240V 9:00 rotation 6500-266
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked. 6600-138
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked. 6600-128
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	240V Laing circulation pump, no standard ozone 6500-035
Therapy Jets:	7 Intellijet LX 6000-300
Whirlpool:	1 Hydro-Air
Therapy Seat:	12 Accu-Pressure
Foot Jets:	2 Hydro-Air
Air Controls:	4
Diverter:	2 3-way
Air Injectors:	12 Barbed style
Hand Rails:	1 9.5" Handrail: 6570-501, Grommets: 6540-651 (2)
Filter:	125 sq. ft. 2" hole 6540-490

2000 Maxxus 850

Year:	2000
Model:	Maxxus 9'4" X 7'8"
Series:	850
Blower:	N/A
Board:	850 3-pump with 1.30B eprom Board: 6600-023, Eprom: 6660-265
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	850 3-pump panel, 2 850 3-pump remote panels Panel: 6600-836, Remotes: 6600-837
Pump #1:	2.5hp 2sp 240V 1:30 rotation 6500-261
Pump #2:	#2-2.5hp 1sp 240V 9:00 rotation, #3-2hp 1sp 240V 3:00 rotation #2: 6500-263, #3: 6500-269
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked. 6600-138
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked. 6600-128
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	ISO Pure chlorine generator, no circulation pump Controller: 6600-025, Cell unit: 9102-810
Therapy Jets:	9 Intellijet LX, 1 Duo Path Intellijet LX: 6540-300, Duo Path: 6540-310
Whirlpool:	3 Hydro-Air
Therapy Seat:	16 Accu-Pressure in Accu-Ssage, 6 Mini Intellijet, 4 Pulsators in Ultra-Pulse Mini-Intellijet: 6540-344
Foot Jets:	6 vertical Accu-Pressure, 2 Mini-Intellijet Mini-Intellijet: 6540-344
Air Controls:	7
Diverter:	2 3-way
Air Injectors:	N/A
Hand Rails:	2 9.5" Rail: 6570-501, Grommets: 6540-651 (4)
Filter:	125 sq. ft. 2" hole 6540-490

2000 Optima 850

Year:	2000
Model:	Optima 7'7" X 7'7"
Series:	850
Blower:	1hp 240V motor 6500-106
Board:	850 circuit board with 1.28G eprom Board: 6600-028, Eprom: 6660-315
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	850 2 pump panel, 850 2 pump remote panel Panel: 6600-830, Remote: 6600-831
Pump #1:	2.5hp 2sp 240V 1:30 rotation 6500-261
Pump #2:	2.5hp 1sp 240V 9:00 rotation 6500-263
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked. 6600-138
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked. 6600-128
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	240V Laing circulation pump, no standard ozone 6500-035
Therapy Jets:	8 Intellijet LX 6000-300
Whirlpool:	2 Hydro-Air
Therapy Seat:	14 Accu-Pressure
Foot Jets:	8 vertical Accu-Pressure, 4 Accu-Pressure calf jets
Air Controls:	5
Diverter:	2 3-way
Air Injectors:	14 barbed style
Hand Rails:	2 9.5" Rail: 6570-501, Grommets: 6540-651 (4)
Filter:	125 sq. ft. 2" hole 6540-490

2000 Caprio LX10 Portofino

Year:	2000
Model:	Caprio 7'4" X 6'7"
Series:	LX10 Portofino
Blower:	N/A
Board:	LX10 Portofino with 6.16 eprom 6600-085
Transformer:	240V - 12V 6560-274
Heater:	4kW@240V, 1kW@120V, Stainless Steel Tube Heater 6500-063
Panel:	Portofino Panel 6600-833
Pump #1:	1.5hp 2sp 120V 9:00 rotation 6500-293
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	120V Laing circulation pump, no standard ozone 6500-038
Therapy Jets:	3 Pro Touch II, 1 Duo Path, 6 Mini-Intelljet Pro Touch II: 6540-161, Duo Path: 6540-310, Mini Intellijet: 6540-347
Whirlpool:	N/A
Therapy Seat:	10 Accu-Pressure
Foot Jets:	3 Vertical Pro Touch II Pro Touch II: 6540-161
Air Controls:	3
Diverter:	1 3-way
Air Injectors:	N/A
Hand Rails:	1 13.5" Handrail: 6570-513, Grommets: 6540-652 (2)
Filter:	125 sq. ft. double hole 6540-488

2000 Solo LX10 Portofino

Year:	2000
Model:	Solo 4'0" X 5'11"
Series:	LX10 Portofino
Blower:	N/A
Board:	LX10 Portofino with 6.16 eprom 6600-085
Transformer:	240V - 12V 6560-274
Heater:	4kW@240V, 1kW@120V, Stainless Steel Tube Heater 6500-063
Panel:	Portofino Panel 6600-833
Pump #1:	1.5hp 2sp 120V 12:00 rotation 6500-259
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	120V Laing circulation pump, no standard ozone 6500-038
Therapy Jets:	4 Pro Touch II 6540-161
Whirlpool:	N/A
Therapy Seat:	12 Accu-Pressure
Foot Jets:	6 Pulsator, 2 Accu-Pressure
Air Controls:	3
Diverter:	1 3-way
Air Injectors:	N/A
Hand Rails:	2 8" Curved Handrail: 6570-512, Grommets: 6540-651 (4)
Filter:	90 sq. ft. double hole 6540-487

2000 Tango LX10 Portofino

Year:	2000
Model:	Tango 5'1" X 6'8"
Series:	LX10 Portofino
Blower:	N/A
Board:	LX10 Portofino with 6.16 eprom 6600-085
Transformer:	240V - 12V 6560-274
Heater:	4kW@240V, 1kW@120V, Stainless Steel Tube Heater 6500-063
Panel:	Portofino Panel 6600-833
Pump #1:	1.5hp 2sp 120V 9:00 rotation 6500-293
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	120V Laing circulation pump, no standard ozone 6500-038
Therapy Jets:	5 Pro Touch II 6540-161
Whirlpool:	N/A
Therapy Seat:	2 Mini Intellijets, 6 Pro Touch II Mini Intellijet: 6540-347, Pro Touch II: 6540-161
Foot Jets:	6 Pulsator, 2 Accu-Pressure
Air Controls:	2
Diverter:	1 3-way
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	90 sq. ft. double hole 6540-487

2000 Aruba LX10 Sweetwater

Year:	2000
Model:	Aruba 6'6" X 6'6"
Series:	LX10 Sweetwater
Blower:	N/A
Board:	LX10 Sweetwater with 5.03 eprom 6600-082
Transformer:	240V - 12V 6560-274
Heater:	5.5kW 240V High Flow Heater 6000-156
Panel:	LX15 1-pump Sweetwater panel 6600-834
Pump #1:	2.5hp 2sp 240V 9:00 rotation 6500-260
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
Weir Gate:	New style sliding weir gate 6540-883
Timer:	Electronic counter on circuit board
Sanitizer:	N/A
Therapy Jets:	7 Pro Touch #6540-147, 2 Mini Mag #6540-335
Whirlpool:	N/A
Therapy Seat:	8 Pulsator
Foot Jets:	1 Pro Touch 6540-147
Air Controls:	2 Sweetwater
Diverter:	N/A
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	75 sq. ft. 2" hole 6540-483

2000 Bahia LX15 Sweetwater

Year:	2000
Model:	Bahia 7'4" X 7'4"
Series:	LX15 Sweetwater
Blower:	N/A
Board:	LX15 Sweetwater with 5.03 eprom 6600-083
Transformer:	240V - 12V 6560-274
Heater:	5.5kW 240V High Flow Heater 6000-156
Panel:	LX15 2-pump Sweetwater panel 6600-832
Pump #1:	2hp 2sp 240V 9:00 rotation 6500-265
Pump #2:	2hp 1sp 240V 9:00 rotation 6500-266
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
Weir Gate:	New style sliding weir gate 6540-883
Timer:	Electronic counter on circuit board
Sanitizer:	N/A
Therapy Jets:	7 Pro Touch #6540-147, 8 Pulsator
Whirlpool:	N/A
Therapy Seat:	6 Pro Touch #6540-147, 4 Mini Mag #6540-355
Foot Jets:	4 Pro Touch # 6540-147
Air Controls:	3 Sweetwater
Diverter:	N/A
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	75 sq. ft. 2" hole 6540-483

2000 Bali LX10 Sweetwater

Year:	2000
Model:	Bali 6'5.5" round
Series:	LX10 Sweetwater
Blower:	N/A
Board:	LX10 Sweetwater with 5.03 eprom 6600-082
Transformer:	240V - 12V 6560-274
Heater:	4kW@240V, 1kW@120V, High Flow Heater 6000-155
Panel:	Bali control panel 6600-618
Pump #1:	1.5hp 2sp 120V 3:00 rotation 6500-258
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
Weir Gate:	New style sliding weir gate 6540-883
Timer:	Electronic counter on circuit board
Sanitizer:	N/A
Therapy Jets:	6 Pro Touch #6540-147, 4 Mini Mag #6540-335
Whirlpool:	N/A
Therapy Seat:	N/A
Foot Jets:	N/A
Air Controls:	2 Sweetwater
Diverter:	N/A
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	45 sq. ft. 6000-134

2000

Cyprus LX10 Sweetwater

Year:	2000
Model:	Cyprus 7'4" X 7'4"
Series:	LX10 Sweetwater
Blower:	N/A
Board:	LX10 Sweetwater with 5.03 eprom 6600-082
Transformer:	240V - 12V 6560-274
Heater:	5.5kW 240V High Flow Heater 6000-156
Panel:	LX15 1-pump Sweetwater panel 6600-834
Pump #1:	2.5hp 2sp 240V 9:00 rotation 6500-260
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
Weir Gate:	New style sliding weir gate 6540-883
Timer:	Electronic counter on circuit board
Sanitizer:	N/A
Therapy Jets:	9 Pro Touch #6540-147, 2 Mini Mag #6540-335
Whirlpool:	N/A
Therapy Seat:	8 Pulsator
Foot Jets:	2 Pro Touch 6540-147
Air Controls:	3 Sweetwater
Diverter:	N/A
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	75 sq. ft. 2" hole 6540-483

2000 Palermo LX15 Sweetwater

Year:	2000
Model:	Palermo 7'6" X 7'6"
Series:	LX15 Sweetwater
Blower:	N/A
Board:	LX15 Sweetwater with 5.03 eprom 6600-083
Transformer:	240V - 12V 6560-274
Heater:	5.5kW 240V High Flow Heater 6000-156
Panel:	LX15 2-pump Sweetwater panel 6600-832
Pump #1:	2hp 2sp 240V 3:00 rotation 6500-262
Pump #2:	2hp 1sp 240V 9:00 rotation 6500-266
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
Weir Gate:	New style sliding weir gate 6540-883
Timer:	Electronic counter on circuit board
Sanitizer:	N/A
Therapy Jets:	16 Pro Touch #6540-147
Whirlpool:	N/A
Therapy Seat:	12 Pulsator, 4 Mini Mag #6540-335
Foot Jets:	1 Pro Touch #6540-147, 2 Mini Mag #6540-335
Air Controls:	4 Sweetwater
Diverter:	N/A
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	75 sq. ft. 2" hole 6540-483