

# 2001 Altamar 850

<b>Year:</b>	2001
<b>Model:</b>	Altamar 7'4" X 6'11"
<b>Series:</b>	850
<b>Blower:</b>	1hp 240V motor 6500-103
<b>Board:</b>	850 circuit board with 1.28k eprom Board: 6600-056, Eprom: 6660-322
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	850 2 pump panel, 850 2 pump remote panel Panel: 6600-860, Remote: 6600-861
<b>Pump #1:</b>	2.5hp 2sp 240V 1:30 rotation 6500-261
<b>Pump #2:</b>	2.5hp 1sp 240V 9:00 rotation 6500-263
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-138
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-128
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	Built-in Brominator and 24-Hour Circulation Pump #6500-035. Optional CD or UV Ozonator, Mazzei Injector required
<b>Therapy Jets:</b>	6 Intellijet LX, 6 Mini-Intellijet, 2 Pulsator Intellijet LX: 6000-300, Mini-Intellijet: 6540-347
<b>Whirlpool:</b>	3 Hydro-Air
<b>Therapy Seat:</b>	14 Accu-Pressure
<b>Foot Jets:</b>	2 Vertical Intellijet LX 6000-300
<b>Air Controls:</b>	5
<b>Diverter:</b>	1 3-way
<b>Air Injectors:</b>	14 Barbed style
<b>Hand Rails:</b>	1 9.5" Handrail: 6570-501, Grommets: 6540-651 (2)
<b>Filter:</b>	125 sq. ft. 2" hole 6540-490

# 2001 Cameo 850

<b>Year:</b>	2001
<b>Model:</b>	Cameo 7'7" X 7'7"
<b>Series:</b>	850
<b>Blower:</b>	1hp 240V motor 6500-103
<b>Board:</b>	850 circuit board with 1.28K eprom Board: 6600-056, Eprom: 6660-322
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	850 2 pump panel, 850 2 pump remote panel Panel: 6600-860, Remote: 6600-861
<b>Pump #1:</b>	2.5hp 2sp 240V 1:30 rotation 6500-261
<b>Pump #2:</b>	2.5hp 1sp 240V 9:00 rotation 6500-263
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-138
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-128
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	Built-in Brominator and 24-hour circulation pump #6500-035. Optional CD or UV Ozonator, Mazzei injector required.
<b>Therapy Jets:</b>	8 Intelli-Jet LX 6000-300
<b>Whirlpool:</b>	2 Hydro-Air
<b>Therapy Seat:</b>	14 Accu-Pressure, 2 Accu-Pressure Reflexology Jets
<b>Foot Jets:</b>	2 Vertical Intelli-Jet LX, 3 Hydro-Air, 2 Accu-Pressure calf jets
<b>Air Controls:</b>	5
<b>Diverter:</b>	2 3-way
<b>Air Injectors:</b>	14 barbed style
<b>Hand Rails:</b>	2 9.5" Rail: 6570-501, Grommets: 6540-651 (4)
<b>Filter:</b>	125 sq. ft. 2" hole 6540-490

# 2001 Capri 850

<b>Year:</b>	2001
<b>Model:</b>	Capri 5'9" X 7'2"
<b>Series:</b>	850
<b>Blower:</b>	1hp 240V motor 6500-103
<b>Board:</b>	850 circuit board with 1.28K eprom Board: 6600-056, Eprom: 6660-322
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	850 1 pump panel Panel: 6600-865
<b>Pump #1:</b>	2.5hp 2sp 240V 9:00 rotation 6500-260
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-138
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-128
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	Built-in Brominator and 24-Hour Circulation Pump #6500-035. Optional CD or UV Ozonator, Mazzei Injector required
<b>Therapy Jets:</b>	4 Intelli-Jet LX, 6 Mini-Intelli-Jets, 2 Pulsator Jets Intelli-Jet LX 6000-300, Mini-Intelli-Jet 6540-347.
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	2 Accu-Pressure, 10 Fluidix ST
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	3
<b>Diverter:</b>	1 3-way
<b>Air Injectors:</b>	10 Barbed style
<b>Hand Rails:</b>	1 24" Handrail: 6570-505, Grommets: 6540-652 (2)
<b>Filter:</b>	125 sq. ft. 2" hole 6540-490

# 2001 Marin 850

<b>Year:</b>	2001
<b>Model:</b>	Marin 7'4" X 6'7"
<b>Series:</b>	850
<b>Blower:</b>	1hp 240V motor 6500-103
<b>Board:</b>	850 circuit board with 1.28k eprom Board: 6600-056, Eprom: 6660-322
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	850 2 pump panel Panel: 6600-860
<b>Pump #1:</b>	2hp 2sp 240V 1:30 rotation 6500-264
<b>Pump #2:</b>	2hp 1sp 240V 9:00 rotation 6500-266
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-138
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-128
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	Built-in Brominator and 24-Hour Circulation Pump #6500-035. Optional CD or UV Ozonator, Mazzei Injector required.
<b>Therapy Jets:</b>	7 Intelli-Jet LX 6000-300
<b>Whirlpool:</b>	1 Hydro-Air
<b>Therapy Seat:</b>	12 Accu-Pressure
<b>Foot Jets:</b>	2 Hydro-Air
<b>Air Controls:</b>	4
<b>Diverter:</b>	2 3-way
<b>Air Injectors:</b>	12 Barbed style
<b>Hand Rails:</b>	1 9.5" Handrail: 6570-501, Grommets: 6540-651 (2)
<b>Filter:</b>	125 sq. ft. 2" hole 6540-490

# 2001 Maxxus 850

<b>Year:</b>	2001
<b>Model:</b>	Maxxus 9'4" X 7'8"
<b>Series:</b>	850
<b>Blower:</b>	N/A
<b>Board:</b>	850 3-pump with 1.30D eprom Board: 6600-023, Eprom: 6660-324
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	850 3-pump panel, 2 850 3-pump remote panels Panel: 6600-866, Remotes: 6600-867
<b>Pump #1:</b>	2.5hp 2sp 240V 1:30 rotation 6500-261
<b>Pump #2:</b>	#2-2.5hp 1sp 240V 9:00 rotation, #3-2hp 1sp 240V 3:00 rotation #2: 6500-263, #3: 6500-269
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-138
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-128
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	Optional CD or UV Ozonator, Mazzei injector required. CD Ozonator 6472-627, UV Ozonator 6472-625, Mazzei injector 6540-134
<b>Therapy Jets:</b>	9 Intelli-Jet LX, 1 Duo Path Intelli-Jet LX: 6540-300, Duo Path: 6540-310
<b>Whirlpool:</b>	3 Hydro-Air
<b>Therapy Seat:</b>	16 Accu-Pressure in Accu-Ssage, 6 Mini Intellijet, 4 Pulsators in Ultra-Pulse Mini-Intellijet: 6540-344
<b>Foot Jets:</b>	6 vertical Accu-Pressure, 2 Mini-Intellijet Mini-Intellijet: 6540-344
<b>Air Controls:</b>	7
<b>Diverter:</b>	2 3-way
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	2 9.5" Rail: 6570-501, Grommets: 6540-651 (4)
<b>Filter:</b>	125 sq. ft. 2" hole 6540-490

# 2001 Optima 850

<b>Year:</b>	2001
<b>Model:</b>	Optima 7'7" X 7'7"
<b>Series:</b>	850
<b>Blower:</b>	1hp 240V motor 6500-103
<b>Board:</b>	850 circuit board with 1.28K eprom Board: 6600-056, Eprom: 6660-322
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	850 2 pump panel, 850 2 pump remote panel Panel: 6600-860, Remote: 6600-861
<b>Pump #1:</b>	2.5hp 2sp 240V 1:30 rotation 6500-261
<b>Pump #2:</b>	2.5hp 1sp 240V 9:00 rotation 6500-263
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-138
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-128
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	Built-in Brominator and 24-hour circulation pump #6500-035. Optional CD or UV Ozonators. Mazzei Injector required.
<b>Therapy Jets:</b>	8 Intelli-Jet LX 6000-300
<b>Whirlpool:</b>	2 Hydro-Air
<b>Therapy Seat:</b>	14 Accu-Pressure
<b>Foot Jets:</b>	8 vertical Accu-Pressure, 4 Accu-Pressure calf jets
<b>Air Controls:</b>	5
<b>Diverter:</b>	2 3-way
<b>Air Injectors:</b>	14 barbed style
<b>Hand Rails:</b>	2 9.5" Rail: 6570-501, Grommets: 6540-651 (4)
<b>Filter:</b>	125 sq. ft. 2" hole 6540-490

# 2001 Caprio ST Portofino

<b>Year:</b>	2001
<b>Model:</b>	Caprio, Caprio ST 7'4" X 6'7"
<b>Series:</b>	Portofino
<b>Blower:</b>	N/A
<b>Board:</b>	Portofino with 3.53 eprom 6600-086
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	4kW@240V, 1kW@120V, Stainless Steel Tube Heater 6500-063
<b>Panel:</b>	Portofino Panel 6600-833
<b>Pump #1:</b>	1.5hp 2sp 120V 9:00 rotation 6500-293
<b>Pump #2:</b>	120V Laing circulation pump 6500-038
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Built-in Brominator
<b>Therapy Jets:</b>	3 Pro Touch II, 1 Duo Path, 6 Mini-Intelljet Pro Touch II: 6540-161, Duo Path: 6540-310, Mini Intellijet: 6540-347
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	10 Accu-Pressure
<b>Foot Jets:</b>	3 Vertical Pro Touch II Pro Touch II: 6540-161
<b>Air Controls:</b>	3
<b>Diverter:</b>	1 3-way
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	1 13.5" Handrail: 6570-513, Grommets: 6540-652 (2)
<b>Filter:</b>	125 sq. ft. double hole 6540-488

# 2001 Solo Portofino

<b>Year:</b>	2001
<b>Model:</b>	Solo 4'0" X 5'11"
<b>Series:</b>	Portofino
<b>Blower:</b>	N/A
<b>Board:</b>	LX10 Portofino with 3.53 eprom 6600-086
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	4kW@240V, 1kW@120V, Stainless Steel Tube Heater 6500-063
<b>Panel:</b>	Portofino Panel 6600-833
<b>Pump #1:</b>	1.5hp 2sp 120V 12:00 rotation 6500-259
<b>Pump #2:</b>	120V Laing circulation pump 6500-038
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Built-in Brominator
<b>Therapy Jets:</b>	4 Pro Touch II 6540-161
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	10 Accu-Pressure, 2 Mini-Mag 6540-346
<b>Foot Jets:</b>	6 Pulsator, 2 Accu-Pressure
<b>Air Controls:</b>	3
<b>Diverter:</b>	1 3-way
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	2 8" Curved Handrail: 6570-512, Grommets: 6540-651 (4)
<b>Filter:</b>	90 sq. ft. double hole 6540-487



# 2001 Tango Portofino

<b>Year:</b>	2001
<b>Model:</b>	Tango 5'1" X 6'8"
<b>Series:</b>	Portofino
<b>Blower:</b>	N/A
<b>Board:</b>	Portofino with 3.53 eprom 6600-086
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	4kW@240V, 1kW@120V, Stainless Steel Tube Heater 6500-063
<b>Panel:</b>	Portofino Panel 6600-833
<b>Pump #1:</b>	1.5hp 2sp 120V 9:00 rotation 6500-293
<b>Pump #2:</b>	120V Laing circulation pump 6500-038
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Built-in Brominator
<b>Therapy Jets:</b>	5 Pro Touch II 6540-161
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	2 Mini Intellijets, 6 Pro Touch II Mini Intellijet: 6540-347, Pro Touch II: 6540-161
<b>Foot Jets:</b>	6 Pulsator, 2 Accu-Pressure
<b>Air Controls:</b>	2
<b>Diverter:</b>	1 3-way
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	90 sq. ft. double hole 6540-487

# 2001 Aruba LX10 Sweetwater

<b>Year:</b>	2001
<b>Model:</b>	Aruba 6'6" X 6'6"
<b>Series:</b>	LX10 Sweetwater
<b>Blower:</b>	N/A
<b>Board:</b>	LX10 Sweetwater with 5.51 eprom 6600-089
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5kW 240V High Flow Heater 6000-156
<b>Panel:</b>	LX15 1-pump Sweetwater panel 6600-834
<b>Pump #1:</b>	2.5hp 2sp 240V 9:00 rotation 6500-260
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
<b>Weir Gate:</b>	New style sliding weir gate 6540-883
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Built-in Brominator.
<b>Therapy Jets:</b>	7 Pro Touch #6540-147, 2 Mini Mag #6540-335
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	8 Pulsator
<b>Foot Jets:</b>	1 Pro Touch 6540-147
<b>Air Controls:</b>	2 Sweetwater
<b>Diverter:</b>	N/A
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	75 sq. ft. 2" hole 6540-483

2001

# Bahia LX15 Sweetwater

<b>Year:</b>	2001
<b>Model:</b>	Bahia 7'4" X 7'4"
<b>Series:</b>	LX15 Sweetwater
<b>Blower:</b>	N/A
<b>Board:</b>	LX15 Sweetwater with 5.51 eprom 6600-087
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5kW 240V High Flow Heater 6000-156
<b>Panel:</b>	LX15 2-pump Sweetwater panel 6600-832
<b>Pump #1:</b>	2hp 2sp 240V 9:00 rotation 6500-265
<b>Pump #2:</b>	2hp 1sp 240V 9:00 rotation 6500-266
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
<b>Weir Gate:</b>	New style sliding weir gate 6540-883
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Built-in Brominator.
<b>Therapy Jets:</b>	7 Pro Touch #6540-147, 8 Pulsator
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	6 Pro Touch #6540-147, 4 Mini Mag #6540-355
<b>Foot Jets:</b>	4 Pro Touch # 6540-147
<b>Air Controls:</b>	3 Sweetwater
<b>Diverter:</b>	N/A
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	75 sq. ft. 2" hole 6540-483

2001

# Bali LX10 Sweetwater

<b>Year:</b>	2001
<b>Model:</b>	Bali 6'5.5" round
<b>Series:</b>	LX10 Sweetwater
<b>Blower:</b>	N/A
<b>Board:</b>	LX10 Sweetwater with 5.51 eprom 6600-089
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	4kW@240V, 1kW@120V, High Flow Heater 6000-155
<b>Panel:</b>	Bali control panel 6600-618
<b>Pump #1:</b>	1.5hp 2sp 120V 3:00 rotation 6500-258
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
<b>Weir Gate:</b>	New style sliding weir gate 6540-883
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	N/A
<b>Therapy Jets:</b>	6 Pro Touch #6540-147, 4 Mini Mag #6540-335
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	N/A
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	2 Sweetwater
<b>Diverter:</b>	N/A
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	45 sq. ft. 6000-134

2001

# Cyprus LX10 Sweetwater

<b>Year:</b>	2001
<b>Model:</b>	Cyprus 7'4" X 7'4"
<b>Series:</b>	LX10 Sweetwater
<b>Blower:</b>	N/A
<b>Board:</b>	LX10 Sweetwater with 5.54 eprom 6600-089
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5kW 240V High Flow Heater 6000-156
<b>Panel:</b>	LX15 1-pump Sweetwater panel 6600-834
<b>Pump #1:</b>	2.5hp 2sp 240V 9:00 rotation 6500-260
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
<b>Weir Gate:</b>	New style sliding weir gate 6540-883
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Built-in Brominator.
<b>Therapy Jets:</b>	9 Pro Touch #6540-147, 2 Mini Mag #6540-335
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	8 Pulsator
<b>Foot Jets:</b>	2 Pro Touch 6540-147
<b>Air Controls:</b>	3 Sweetwater
<b>Diverter:</b>	N/A
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	75 sq. ft. 2" hole 6540-483

# 2001 Palermo LX15 Sweetwater

<b>Year:</b>	2001
<b>Model:</b>	Palermo 7'6" X 7'6"
<b>Series:</b>	LX15 Sweetwater
<b>Blower:</b>	N/A
<b>Board:</b>	LX15 Sweetwater with 5.51 eprom 6600-087
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5kW 240V High Flow Heater 6000-156
<b>Panel:</b>	LX15 2-pump Sweetwater panel 6600-832
<b>Pump #1:</b>	2hp 2sp 240V 3:00 rotation 6500-262
<b>Pump #2:</b>	2hp 1sp 240V 9:00 rotation 6500-266
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-070
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-068
<b>Weir Gate:</b>	New style sliding weir gate 6540-883
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Built-in Brominator,
<b>Therapy Jets:</b>	16 Pro Touch #6540-147
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	12 Pulsator, 4 Mini Mag #6540-335
<b>Foot Jets:</b>	1 Pro Touch #6540-147, 2 Mini Mag #6540-335
<b>Air Controls:</b>	4 Sweetwater
<b>Diverter:</b>	N/A
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	75 sq. ft. 2" hole 6540-483