


SUNDANCE SPAS
PARTS HISTORY

2006-2007



Year:	2007
Model:	Maxxus
Size:	90" x 110" x 41.5"
Series:	880
Blower:	1hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.61A Eprom Board: 6600-155, Eprom: 6660-327
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 2-pump main panel; AquaTerrace remote light panel Panel: 6600-860, Remote: 6600-855
Pump #1:	2.5hp 1sp 240V 1:30 rotation 6500-824
Pump #2/ Pump #3	#2-2.5hp 1sp 240V 9:00 rotation, Part # 6500-902 #3-2.5hp 1sp 240V 9:00 rotation, Part # 6500-902
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	12 Fluidix ST, 4 Fluidix Euro, 4 Pulsator, 4 Accu-Pressure, 7 Fluidix Intelli-Jet, 2 Whirlpool
Whirlpool:	4 Whirlpool
Therapy Seat:	6 Fluidix ST, 2 Fluidix Euro, 2 Pulsator, 2 Accu-Pressure
Foot Jets:	8 Accu-Pressure, 2 Whirlpool
Air Controls:	8
Diverter:	2 (3-way)
Air Injectors:	14 Barbed Injectors
Hand Rails:	2 High quality stainless steel handles Rail: 6570-512, Grommets: 6540-651 (4)
Filter:	MicroClean Plus Filter 6540-507 or Standard Filter 6540-488

Year:	2007
Model:	Optima
Size:	89" x 89" x 37.5"
Series:	880
Blower:	1hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.51A Eprom Board: 6600-098, Eprom: 6660-328
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 2-pump main panel; AquaTerrace remote light panel Panel: 6600-860, Remote: 6600-855
Pump #1:	2.5hp 1sp 240V 1:30 rotation 6500-902
Pump #2/ Pump #3	2.5hp 1sp 240V 9:00 rotation 6500-902
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	7 Fluidix Intelli-Jet, 2 Fluidix Euro, 12 Accu-Pressure, 2 Vortex
Whirlpool:	N/A
Therapy Seat:	12 Fluidix ST, 4 Fluidix Euro and 1 Whirlpool
Foot Jets:	8 Accu-Pressure, 1 Whirlpool
Air Controls:	5
Diverter:	2 (3-way)
Air Injectors:	14 barbed style
Hand Rails:	2 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4)
Filter:	MicroClean Plus Filter 6540-507 or Standard Filter 6540-488

Year:	2007
Model:	Cameo
Size:	89" x 89" x 37.5"
Series:	880
Blower:	1hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.51A Eprom Board: 6600-098, Eprom: 6660-328
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 2-pump main panel; AquaTerrace remote light panel Panel: 6600-860, Remote: 6600-855
Pump #1:	2.5hp 1sp 240V 9:00 rotation 6500-902
Pump #2/ Pump #3	2.5hp 1sp 240V 9:00 rotation 6500-902
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	4 Fluidix Euro, 12 Fluidix St, 2 Accu-Pressure, 2 Whirlpool, 2 Pulsator 6 Fluidix-Intelli, 14 Air injector jets with quiet high speed air pump
Whirlpool:	2 Hydro-Air
Therapy Seat:	2 Fluidix Euro, 2 Vortex, 2 Fluidix Intelli-Jet
Foot Jets:	3 Whirlpool, 2 Accu-Pressure
Air Controls:	5
Diverter:	2 (3-way)
Air Injectors:	14 barbed style
Hand Rails:	2 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4)
Filter:	Micro-Clean Plus Stage System = 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter = 6540-488 (125 sq ft)

Year:	2007
Model:	Majesta
Size:	81" x 86" x 37.5"
Series:	880
Blower:	1.5hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.51A Eprom Board: 6600-098, Eprom: 6660-328
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 2-pump main panel; AquaTerrace remote light panel Panel: 6600-860, Remote: 6600-855
Pump #1:	2.5hp 1sp 240V 9:00 rotation 6500-902
Pump #2/ Pump #3	2.5hp 1sp 240V 9:00 rotation 6500-902
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	2 Fluidix Euro, 20 Fluidix ST, 2 Whirlpool, 14 Air Injector Jets
Whirlpool:	1 Whirlpool
Therapy Seat:	2 Fluidix Euro, 2 Vortex, 3 Fluidix Intelli-Jet
Foot Jets:	4 Accu-Pressure, 1 Pro-Touch II
Air Controls:	5
Diverter:	1 (3-way)
Air Injectors:	14 barbed style
Hand Rails:	1 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4)
Filter:	MicroClean Plus Filter 6540-507 or Standard Filter 6540-488

Year:	2007
Model:	Altamar
Size:	81" x 86" x 37.5"
Series:	880
Blower:	1hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.51A Eprom Board: 6600-098, Eprom: 6660-328
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 2-pump main panel; AquaTerrace remote light Panel Panel: 6600-860, Remote: 6600-855
Pump #1:	2.5hp 1sp 240V 9:00 rotation 6500-902
Pump #2/ Pump #3	2.5hp 1sp 240V 9:00 rotation 6500-902
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	4 Fluidix Euro, 12 Fluidix ST, 2 Accu-Pressure, 2 Whirlpool, 2 Pulsator, 2 Fluidix Intelli-Jet, 6 Reflex
Whirlpool:	3 Whirlpool
Therapy Seat:	4 Vortex, 2 Fluidix Intelli-Jet
Foot Jets:	3 Whirlpool, 2 Accu-Pressure
Air Controls:	5
Diverter:	1 (3-way)
Air Injectors:	14 barbed style
Hand Rails:	1 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4)
Filter:	MicroClean Plus Filter 6540-507 or Standard Filter 6540-488

Year:	2007
Model:	Marin
Size:	75" x 91" x 33"
Series:	880
Blower:	1.5hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.51A Eprom Board: 6600-098, Eprom: 6660-328
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 2-pump panel Panel: 6600-860
Pump #1:	2.5hp 1sp 240V 6500-824
Pump #2/ Pump #3	2.5hp 1sp 240V 6500-901
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	4 Fluidix Intelli-Jet (6000-315), 6 Mini Intelli-Jet (6540-347), 5 Vortex, 2 Pulsator
Whirlpool:	1 Hydro-Air
Therapy Seat:	10 Fluidix ST (6540-643), 2 Accu-Pressure, 2 Fluidix Euro (6541-787), 6 Fluidix Reflex (6541-172)
Foot Jets:	2 Hydro-Air
Air Controls:	5
Diverter:	1 (3-way)
Air Injectors:	12 Barbed style
Hand Rails:	N/A
Filter:	MicroClean Plus Filter 6540-507 or Standard Filter 6540-488

Year:	2007
Model:	Capri
Size:	68" x 82" x 30.5"
Series:	880
Blower:	1.5hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.51A Eprom Board: 6600-098, Eprom: 6660-328
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 1-pump panel Panel: 6600-865
Pump #1:	2.5hp 1sp 240V 6500-902
Pump #2/ Pump #3	N/A
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	3 Fluidix Intelli-Jet (6000-315), 6 Mini Intelli-Jet (6540-347), 1 Vortex (6000-310), 2 Pulsator
Whirlpool:	N/A
Therapy Seat:	10 Fluidix ST (6540-643), 2 Euro (6541-787), 6 Reflex (6541-172)
Foot Jets:	N/A
Air Controls:	2
Diverter:	1 (3-way)
Air Injectors:	12 Barbed style
Hand Rails:	1 High quality stainless steel handles 24" Handrail: 6570-505, Grommets: 6540-652 (2)
Filter:	MicroClean Plus Filter 6540-507 or Standard Filter 6540-488

Year:	2007
Model:	Hamilton (replaced the Palermo)
Size:	92"x 92"x36"
Series:	780
Blower:	N/A
Board:	780 Series with 3.56+ Eprom Board 6600-288, Eprom 6660-277
Transformer:	240V - 12V 6560-274
Heater:	5.5kW 240V stainless steel tube heater 6500-402
Panel:	780 Series 2-pump panel 6600-880
Pump #1:	2.5hp 2sp 240V (bracket mounted) 6500-343
Pump #2:	2hp 1sp 240V (bracket mounted) 6500-341
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style sliding weir gate 6540-883
Timer:	Electronic counter on circuit board
Sanitizer:	Built-in brominator and 24-hour circulation pump 6500-035 Sunzone CD installation ready
Therapy Jets:	13 SMT Fluidix, 11 Accu-Pressure
Whirlpool:	N/A
Therapy Seats:	12 SMT Micro,
Foot Jets:	2 SMT Mini
Air Controls:	3 (with light rings)
Diverter:	1 (with light ring)
Air Injectors:	N/A
Hand Rails:	1 integrated
Filter:	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft)

Year:	2007
Model:	Chelsee (replaced the Bahia)
Size:	88" x 88" x 36"
Series:	780
Blower:	N/A
Board:	780 Series with 3.56+ Eprom Board 6600-288, Eprom 6660-277
Transformer:	240V - 12V 6560-274
Heater:	5.5kW 240V stainless steel tube heater 6500-402
Panel:	780 2-pump panel 6600-880
Pump #1:	2.5hp 2sp 240V (bracket mounted) 6500-343
Pump #2:	2hp 1sp 240V (bracket mounted) 6500-341
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	Built-in brominator and 24-hour circulation pump 6500-035 Sunzone CD installation ready
Therapy Jets:	8 SMT Fluidix
Whirlpool:	N/A
Therapy Seats:	3 SMT, 8 SMT Micro, 11 Accu Pressure
Foot Jets:	1 SMT Turbo, 4 SMT Mini
Air Controls:	4 (with light rings)
Diverter:	1 (with light ring)
Air Injectors:	N/A
Hand Rails:	1 Integral
Filter:	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft)

Year:	2007
Model:	Certa (replaced the Cayman)
Size:	81" x 86" x 37.5"
Series:	780
Blower:	N/A
Board:	780 Series with 3.56+ Eprom Board 6600-288, Eprom 6660-277
Transformer:	240V - 12V 6560-274
Heater:	5.5kW 240V stainless steel tube heater 6500-402
Panel:	2-pump panel 6600-880
Pump #1:	2.5hp 2sp 240V (bracket mounted) 6500-343
Pump #2:	2.5hp 1sp 240V (bracket mounted) 6500-341
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	Built-in brominator and 24-hour circulation pump 6500-035 Sunzone CD installation ready
Therapy Jets:	4 SMT Micro , 8 SMT Fluidix, 4 SMT Mini
Whirlpool:	N/A
Therapy Seat:	11 Accu-Pressure, 2 SMT Micro, 5 SMT
Foot Jets:	2 SMT
Air Controls:	4 (with light rings)
Diverter:	1 (with light ring)
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft)

Year:	2007
Model:	Camden (replaced the Caprio)
Size:	76" x 83" x 33"
Series:	780
Blower:	N/A
Board:	780 Series with 3.56+ Eprom Board 6600-286, Eprom 6660-277
Transformer:	120V - 12V 6560-274
Heater:	4kW@240V, 1kW@120V, stainless steel tube heater 6500-402
Panel:	2007 780 1-pump panel 6600-881
Pump #1:	2.5hp 2sp 240V (bracket mounted) 6500-343
Pump # 2	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	Automatic brominator and 24 hour circ pump 6500-035, Sunzone CD installation ready
Therapy Jets:	Therapy Seat Jets = 2 SMT Fluidix , 1 SMT, 2 SMT Mini, 2 SMT Mini Pivot Seat Jets = 2 SMT Mini, 2 SMT Fluidix
Whirlpool:	N/A
Therapy Seat:	Accu-Ssage Seat = 9 Accu-Pressure, 2 SMT Micro Adjustable
Foot Jets:	2 SMT
Air Controls:	4 (with light rings)
Diverter:	1 (with light ring)
Air Injectors:	N/A
Hand Rails:	1 Integral
Filter:	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft)

Year:	2007
Model:	Metro
Size:	62" x 82" x 30"
Series:	780
Blower:	N/A
Board:	780 Series with 3.56+ Eprom Board 6600-286, Eprom 6660-277
Transformer:	120V - 12V 6560-274
Heater:	4kW@240V, 1kW@120V, stainless steel tube heater 6500-063
Panel:	780 Series 6600-550
Pump #1:	1.5hp 2sp 120V 9:00 rotation 6500-722
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked. 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-068
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	Automatic brominator, 24 Hour circ pump 6500-038 Sunzone CD ready
Therapy Jets:	4 SMT Fluidix, 8 SMT
Whirlpool:	N/A
Therapy Seat:	4 SMT Micro, 4 SMT
Foot Jets:	1 SMT Mini
Air Controls:	2
Diverter:	1 (3-way)
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft)

Year:	2007
Model:	Solo
Size:	48" x 71" x 29"
Series:	780
Blower:	N/A
Board:	780 Series with 3.56+ Eprom Board 6600-286, Eprom 6660-277
Transformer:	120V - 12V 6560-274
Heater:	4kW@240V, 1kW@120V, stainless steel tube heater 6500-063
Panel:	780 Panel 6600-833
Pump #1:	1.5hp 2sp 120V 12:00 rotation 6500-759
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-068
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	Automatic Brominator and 24 Hour circ pump 6500-038 NO OZONE SPA
Therapy Jets:	
Whirlpool:	N/A
Therapy Seat:	12 Accu-Pressure, 6 Micro Adjustable, 6 SMT
Foot Jets:	2 Magna II
Air Controls:	3
Diverter:	1 (3-way)
Air Injectors:	N/A
Hand Rails:	2 High quality stainless steel rails Handrail: 6570-512, Grommets: 6540-651 (4)

Year:	2007
Model:	Burlington
Size:	84" x 84" x 36"
Series:	680
Blower:	N/A
Board:	680 Series with 5.55+ Eprom Board 6600-287, Eprom 6660-276
Transformer:	240V - 12V 6560-274
Heater:	5.5kW 240V stainless steel tube heater 6500-156
Panel:	1-pump 680 panel 6600-633
Pump #1:	2.5hp 2sp 240V 7:00 rotation 6500-768
Pump #2:	2.5hp 1sp 240V 9:00 rotation 6500-763
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style skimmer assembly with floating weir canister 373042
Timer:	Electronic counter on circuit board
Sanitizer:	Ozone ready with factory installed ozone injector
Therapy Jets:	9 SMT, 12 SMT Micro
Whirlpool:	N/A
Therapy Seats:	8 SMT Mini
Foot Jets:	3 SMT
Air Controls:	2
Diverter:	1
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	50 sq ft 373045

Year:	2007
Model:	Denali
Size:	78" Round x 36"
Series:	680
Blower:	N/A
Board:	680 Series with 5.55+ Eprom Board 6600-289, Eprom 6660-276
Transformer:	120V - 12V 6560-274
Heater:	1kW@120V, 4kW@240V stainless steel tube heater 6000-338
Panel:	1-Pump 680 panel 6600-550
Pump #1:	1.5hp 2sp 120V 6500-758
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style skimmer assembly with floating weir canister 373042
Timer:	Electronic counter on circuit board
Sanitizer:	Ozone ready with factory installed ozone injector
Therapy Jets:	3 SMT, 7 SMT Mini, 8 SMT Micro
Whirlpool:	N/A
Therapy Seats:	N/A
Foot Jets:	1 SMT
Air Controls:	2
Diverter:	1 Divert-a-Jet
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	50 sq ft 373045

Year:	2007
Model:	Tacoma
Size:	68" x 68" x 31"
Series:	680
Blower:	N/A
Board:	680 Series with 5.55+ Eprom Board 6600-289, Eprom 6660-276
Transformer:	120V - 12V 6560-274
Heater:	1kW@120V, 4kW@240V Stainless steel tube heater 6000-338
Panel:	1-pump 680 panel 6600-550
Pump #1:	1.5hp 2sp 120V 6500-758
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style skimmer assembly with floating weir canister 6540-999
Timer:	Electronic counter on circuit board
Sanitizer:	Ozone ready with factory installed ozone injector
Therapy Jets:	3 SMT,
Whirlpool:	N/A
Therapy Seats:	8 SMT Mini
Foot Jets:	1 SMT
Air Controls:	2
Diverter:	N/A
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	35 sq ft 6000-136

Year:	2006
Model:	Maxxus
Size:	7'6" x 9'2" x 41.5"
Series:	880
Blower:	1hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.61A Eprom Board: 6600-155, Eprom: 6660-327
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 2 pump main panel; AquaTerrace remote light panel Panel: 6600-860, Remote: 6600-855
Pump #1:	2.5hp 1sp 240V 1:30 rotation 6500-903
Pump #2/ Pump #3	#2-2.5hp 1sp 240V 9:00 rotation, Part # 6500-902 #3-2.5hp 1sp 240V 9:00 rotation, Part # 6500-902
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	12 Fluidix ST, 4 Euro, 4 Pulsator, 7 Fluidix Intelli-Jet, 2 Accu-Pressure, 2 Vortex
Whirlpool:	4 Whirlpool
Therapy Seat:	6 Fluidix ST, 2 Euro, 2 Pulsator, 2 Accu-Pressure
Foot Jets:	8 Accu-Pressure, 2 Whirlpool
Air Controls:	7
Diverter:	2 (3-way)
Air Injectors:	14 Barbed Injectors
Hand Rails:	2 High quality stainless steel rails Rail: 6570-512, Grommets: 6540-651 (4)
Filter:	Micro Clean II Filter 6540-505 Standard Filter 6540-488

Year:	2006
Model:	Optima
Size:	89" x 89" x 37.5"
Series:	880
Blower:	1hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.51A Eprom Board: 6600-098, Eprom: 6660-328
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 2 pump main panel; AquaTerrace remote light panel Panel: 6600-860, Remote: 6600-855
Pump #1:	2.5hp 1sp 240V 1:30 rotation 6500-902
Pump #2/ Pump #3	2.5hp 1sp 240V 9:00 rotation 6500-902
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	7 Fluidix Intelli, 2 Euro, 12 Accu-Pressure, 2 Vortex
Whirlpool:	1 Whirlpool
Therapy Seat:	12 Fluidix ST, 2 Euro and 1 Whirlpool
Foot Jets:	8 Accu-Pressure, 1 Whirlpool
Air Controls:	5
Diverter:	2 (3-way)
Air Injectors:	14 barbed style
Hand Rails:	2 High quality stainless steel Rail: 6570-501, Grommets: 6540-651 (4)
Filter:	MicroClean II System #6540-505 Standard Filter #6540-488

Year:	2006
Model:	Cameo
Size:	89" x 89" x 37.5"
Series:	880
Blower:	1hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.51A Eprom Board: 6600-098, Eprom: 6660-328
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 2 pump main panel; AquaTerrace remote light panel Panel: 6600-860, Remote: 6600-855
Pump #1:	2.5hp 1sp 240V 9:00 rotation 6500-902
Pump #2/ Pump #3	2.5hp 1sp 240V 9:00 rotation 6500-902
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	4 Euro, 12 Fluidix St, 2 Accu-Pressure, 2 Whirlpool, 2 Pulsator 6 Fluidix Intelli-Jet, 14 Air injector jets with quiet high speed air pump
Whirlpool:	2 Hydro-Air
Therapy Seat:	2 Euro, 2 Vortex, 2 Fluidix Intelli-Jet
Foot Jets:	3 Whirlpool, 2 Accu-Pressure
Air Controls:	5
Diverter:	2 (3-way)
Air Injectors:	14 barbed style
Hand Rails:	2 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4)
Filter:	Micro Clean II Filter 6540-505 Standard filter 6540-488

Year:	2006
Model:	Majesta
Size:	81" x 86" x 37.5"
Series:	880
Blower:	1.5hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.51A Eprom Board: 6600-098, Eprom: 6660-328
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 2 pump main panel; AquaTerrace remote light panel Panel: 6600-860, Remote: 6600-855
Pump #1:	2.5hp 1sp 240V 9:00 rotation 6500-902
Pump #2/ Pump #3	2.5hp 1sp 240V 9:00 rotation 6500-902
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	2 Euro, 20 Fluidix ST, 2 Whirlpool, 14 Air Injector Jets
Whirlpool:	1 Whirlpool
Therapy Seat:	2 Euro, 2 Vortex, 3 Fluidix Intelli-Jet,
Foot Jets:	4 Accu-Pressure, 1Pro-Touch II
Air Controls:	5
Diverter:	1 (3-way)
Air Injectors:	14 barbed style
Hand Rails:	1 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4)
Filter:	Micro Clean II Filter 6540-505 Standard filter 6540-488

Year:	2006
Model:	Altamar
Size:	81"x 89" x 37.5"
Series:	880
Blower:	1hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.51A Eprom Board: 6600-098, Eprom: 6660-328
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 2 pump main panel; AquaTerrace remote light panel Panel: 6600-860, Remote: 6600-855
Pump #1:	2.5hp 1sp 240V 9:00 rotation 6500-902
Pump #2/ Pump #3	2.5hp 1sp 240V 9:00 rotation 6500-902
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New Style Sliding Weir Gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	4 Euro, 12 Fluidix ST, 2 Accu-Pressure, 2 Whirlpool, 2 Pulsator, 2 Fluidix Intelli-Jet, 6 Reflex
Whirlpool:	3 Whirlpool
Therapy Seat:	4 Vortex , 2 Fluidix Intelli-Jet
Foot Jets:	3 Whirlpool, 2 Accu-Pressure
Air Controls:	5
Diverter:	1 (3-way)
Air Injectors:	14 barbed style
Hand Rails:	1 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4)
Filter:	Micro Clean II Filter 6540-505 Standard filter 6540-488

Year:	2006
Model:	Marin
Size:	75" x 88" x 33"
Series:	880
Blower:	1hp 240V blower motor assembly 6500-148
Board:	880 Series circuit board with 9.51A Eprom Board: 6600-098, Eprom: 6660-328
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 2 pump panel Panel: 6600-860
Pump #1:	2.5hp 1sp 240V 6500-903
Pump #2/ Pump #3	2.5hp 1sp 240V 6500-901
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	4 Fluidix Intelli-Jet (6000-315), 6 Mini Intelli-Jet (6540-347), 5 Vortex, 2 Pulsator
Whirlpool:	1 Hydro-Air
Therapy Seat:	10 Fluidix ST (6540-643), 2 Accu-Pressure, 2 Euro (6541-787), 6 Fluidix Reflex (6541-172)
Foot Jets:	2 Hydro-Air
Air Controls:	5
Diverter:	1 (3-way)
Air Injectors:	14 barbed style
Hand Rails:	N/A
Filter:	MicroClean II System 6540-505 Standard Filter #6540-488

Year:	2006
Model:	Capri
Size:	69" X 82" X 30.5"
Series:	880
Blower:	1.5hp 240V motor 6500-148
Board:	880 Series circuit board with 9.51A Eprom Board: 6600-098, Eprom: 6660-328
Transformer:	240V - 12V 6560-274
Heater:	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
Panel:	880 1 pump panel Panel: 6600-865
Pump #1:	2.5hp 1sp 240V 6500-902
Pump #2/ Pump #3	N/A
Temp Sensor:	Boxed end connector, thermistor type, resistance can be checked 6600-167
Hi-Limit:	Boxed end connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic Dallas time chip on circuit board 6760-024
Sanitizer:	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
Therapy Jets:	3 Fluidix Intelli-Jet (6000-315), 6 Mini Intelli-Jet (6540-347), 1 Vortex (6000-310), 2 Pulsator
Whirlpool:	N/A
Therapy Seat:	10 Fluidix ST (6540-643), 2 Euro (6541-787), 6 Reflex (6541-172)
Foot Jets:	N/A
Air Controls:	2
Diverter:	1 (3-way)
Air Injectors:	10 Barbed style
Hand Rails:	1 High quality stainless steel 24" Handrail: 6570-505, Grommets: 6540-652 (2)
Filter:	MicroClean II System #6540-505 Standard Filter #6540-488 125ft ²

Year:	2006
Model:	Palermo
Size:	90" x 90" x 36"
Series:	780
Blower:	N/A
Board:	780 Series with 3.56+ Eprom Board 6600-288, Eprom 6660-277
Transformer:	240V - 12V 6560-274
Heater:	5.5kW 240V stainless steel tube heater 6500-063
Panel:	780 Series 2-pump panel 6600-633
Pump #1:	2.5hp 2sp 240V 3:00 rotation 6500-754
Pump #2:	2hp 1sp 240V 9:00 rotation 6500-766
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style sliding weir gate 6540-883
Timer:	Electronic counter on circuit board
Sanitizer:	Built-in brominator and 24-hour circulation pump 6500-035 Sunzone CD installation ready
Therapy Jets:	13 SMT Fluidix, 9 Accu-Pressure
Whirlpool:	N/A
Therapy Seats:	10 SMT Micro,
Foot Jets:	1 SMT Turbo (6540-771)
Air Controls:	3 Sweetwater
Diverter:	1 Sweetwater
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	Micro-Clean II Stage System = 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter = 6540-488 (125 sq ft)

Year:	2006
Model:	Bahia
Size:	88" x 88" x 36"
Series:	780
Blower:	N/A
Board:	780 Series with 3.56+ Eprom Board 6600-288, Eprom 6660-277
Transformer:	240V - 12V 6560-274
Heater:	5.5kW 240V stainless steel tube heater 6500-402
Panel:	2-pump panel 6600-633
Pump #1:	2.5hp 2sp 240V 2:00 rotation 6500-761
Pump #2:	2hp 1sp 240V 9:00 rotation 6500-766
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	Built-in brominator and 24-hour circulation pump 6500-035 Sunzone CD installation ready
Therapy Jets:	13 SMT Fluidix
Whirlpool:	N/A
Therapy Seats:	3 SMT, 10 SMT Micro, 9 Accu Pressure
Foot Jets:	1 SMT Turbo
Air Controls:	3 Sundance
Diverter:	1 Sundance
Air Injectors:	N/A
Hand Rails:	1 Integral
Filter:	Micro-Clean II Stage System = 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter = 6540-488 (125 sq ft)

Year:	2006
Model:	Cayman
Size:	84" x 84" x 36"
Series:	780
Blower:	N/A
Board:	780 Series with 3.56+ Eprom Board 6600-288, Eprom 6660-277
Transformer:	240V - 12V 6560-274
Heater:	5.5kW 240V stainless steel tube heater 6500-402
Panel:	1-pump Sweetwater panel 6600-550
Pump #1:	2.5hp 2sp 240V 9:00 rotation 6500-754
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	Built-in brominator and 24-hour circulation pump 6500-035 Sunzone CD installation ready
Therapy Jets:	3 SMT, 4 SMT Micro, 6 SMT Fluidix
Whirlpool:	N/A
Therapy Seat:	9 Accu-Pressure, 2 SMT Micro
Foot Jets:	2 SMT
Air Controls:	2 Sweetwater
Diverter:	1 Sweetwater
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	Micro-Clean II Stage System = 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter = 6540-488 (125 sq ft)

Year:	2006
Model:	Caprio
Size:	77" x 86" x 33"
Series:	780
Blower:	N/A
Board:	780 Series with 3.56+ Eprom Board 6600-286, Eprom 6660-277
Transformer:	120V - 12V 6560-274
Heater:	4kW@240V, 1kW@120V, stainless steel tube heater 6500-063
Panel:	2005 780 Series 6600-550
Pump #1:	1.5hp 2sp 120V 9:00 rotation 6500-793
Pump # 2	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-168
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	Automatic brominator and 24 hour circ pump 6500-038, Sunzone CD installation ready
Therapy Jets:	Therapy lounge Seat = 2 SMT Fluidix, 3 SMT, Pivot Seat Jets = 2 SMT Micro, 2 SMT Fluidix, 1 SMT, Rear Wall = 2 SMT
Whirlpool:	N/A
Therapy Seat:	Accu-Ssage Seat = 9 Accu-Pressure, 2 SMT Micro Adjustable
Foot Jets:	2 SMT
Air Controls:	3
Diverter:	1 (3-way)
Air Injectors:	N/A
Hand Rails:	1 Integral
Filter:	Micro-Clean II Stage System = 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter = 6540-488 (125 sq ft)

Year:	2006
Model:	Metro
Size:	64" x 82" x 30"
Series:	780
Blower:	N/A
Board:	780 Series with 3.56+ Eprom Board 6600-286, Eprom 6660-277
Transformer:	120V - 12V 6560-274
Heater:	4kW@240V, 1kW@120V, stainless steel tube heater 6500-063
Panel:	780 Series 6600-550
Pump #1:	1.5hp 2sp 120V 9:00 rotation 6500-722
Pump # 2	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-068
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	Automatic brominator and 24 hour circ pump 6500-038, Sunzone CD installation ready
Therapy Jets:	4 SMT Fluidix, 8 SMT
Whirlpool:	N/A
Therapy Seat:	4 SMT Micro, 4 SMT
Foot Jets:	1 SMT Mini
Air Controls:	2
Diverter:	1 (3-way)
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	Micro-Clean II Stage System = 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter = 6540-488 (125 sq ft)

Year:	2006
Model:	Solo
Size:	4'0" x 5'11" x 29"
Series:	780
Blower:	N/A
Board:	780 Series with 3.56+ Eprom Board 6600-286, Eprom 6660-277
Transformer:	120V - 12V 6560-274
Heater:	4kW@240V, 1kW@120V, stainless steel tube heater 6500-063
Panel:	780 Panel 6600-833
Pump #1:	1.5hp 2sp 120V 12:00 rotation 6500-759
Pump # 2	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-068
Weir Gate:	New style sliding weir gate 6540-882
Timer:	Electronic counter on circuit board
Sanitizer:	Automatic brominator and 24 hour circ pump 6500-038, Sunzone CD installation ready
Therapy Jets:	
Whirlpool:	N/A
Therapy Seat:	12 Accu-Pressure, 6 Micro Adjustable, 6 SMT
Foot Jets:	2 Magna ll
Air Controls:	3
Diverter:	1 (3-way)
Air Injectors:	N/A
Hand Rails:	2 High quality stainless steel rails Handrail: 6570-512, Grommets: 6540-651 (4)
Filter:	90 sq. ft. Double Ended 20" 6540-487

Year:	2006
Model:	Burlington
Size:	84" x 84" x 36"
Series:	680
Blower:	N/A
Board:	680 Series with 5.55+ Eprom Board 6600-287, Eprom 6660-276
Transformer:	240V - 12V 6560-274
Heater:	5.5kW 240V stainless steel tube heater 6500-156
Panel:	1-pump 680 panel 6600-633
Pump #1:	2.5hp 2sp 240V 7:00 rotation 6500-768
Pump #2:	2.5hp 1sp 240V 9:00 rotation 6500-763
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style skimmer assembly with floating weir canister 373042
Timer:	Electronic counter on circuit board
Sanitizer:	Ozone ready with factory installed ozone injector
Therapy Jets:	9 SMT, 12 SMT Micro
Whirlpool:	N/A
Therapy Seats:	8 SMT Mini
Foot Jets:	3 SMT
Air Controls:	2
Diverter:	1
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	50 sq ft 373045

Year:	2006
Model:	Denali
Size:	78.5" Round x 36"
Series:	680
Blower:	N/A
Board:	680 Series with 5.55+ Eprom Board 6600-289, Eprom 6660-276
Transformer:	120V - 12V 6560-274
Heater:	1kW@120V, 4kW@240V stainless steel tube heater 6000-338
Panel:	1-pump 680 panel 6600-550
Pump #1:	1.5hp 2sp 120V 6500-758
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style skimmer assembly with floating weir canister 373042
Timer:	Electronic counter on circuit board
Sanitizer:	Ozone ready with factory installed ozone injector
Therapy Jets:	3 SMT, 7 SMT Mini, 8 SMT Micro
Whirlpool:	N/A
Therapy Seats:	N/A
Foot Jets:	1 SMT
Air Controls:	2
Diverter:	1 Divert-a-Jet
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	50 sq ft 373045

Year:	2006
Model:	Tacoma
Size:	82" x 57.8" x 31"
Series:	680
Blower:	N/A
Board:	680 Series with 5.55+ Eprom Board 6600-289, Eprom 6660-276
Transformer:	120V - 12V 6560-274
Heater:	1kW@120V, 4kW@240V stainless steel tube heater 6000-338
Panel:	1-pump 680 panel 6600-550
Pump #1:	1.5hp 2sp 120V 6500-758
Pump #2:	N/A
Temp Sensor:	Curled Finger connector, thermistor type, resistance can be checked 6600-166
Hi-Limit:	Curled Finger connector, thermistor type, resistance can be checked 6600-144
Weir Gate:	New style skimmer assembly with floating weir canister 6540-999
Timer:	Electronic counter on circuit board
Sanitizer:	Ozone ready with factory installed ozone injector
Therapy Jets:	3 SMT
Whirlpool:	N/A
Therapy Seats:	8 SMT Mini
Foot Jets:	1 SMT
Air Controls:	2
Diverter:	N/A
Air Injectors:	N/A
Hand Rails:	N/A
Filter:	35 sq ft 6000-136