


SUNDANCE SPAS
PARTS HISTORY

2009



| | |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Cameo |
| Size: | 89" x 89" x 37.5" |
| Series: | 880 |
| Blower: | 1hp 240V blower motor assembly 6500-148 |
| Board: | 880 Series circuit board with 1.0E Micro Chip Board: 6600-164, Micro Chip: 6560-514 (also stock 6600-161 board) |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | "Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310 |
| Panel: | 880 2-pump main panel Panel: 6600-854 |
| Pump #1: | 2.5hp 1sp 240V Universal Pump 6500-352, and mounting bracket 6000-535 |
| Pump #2 | 2.5hp 1sp 240V Universal Pump 6500-352, and mounting bracket 6000-535 |
| Temp Sensor: | Boxed end connector, thermistor type, resistance can be checked 6600-167 |
| Hi-Limit: | Boxed end connector, thermistor type, resistance can be checked 6600-168 |
| Flow Switch | 6560-860, Flow Switch with clear transparent tee. |
| Weir Gate: | New style sliding weir gate 6540-882 |
| Timer: | Micro Chip Rev 1.0E 6560-514 |
| Sanitizer: | Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907 |
| Therapy Jets: | 4 Fluidix Nex Jet, 12 Fluidix St, 4 Accu-Pressure, 1 Whirlpool, 2 Pulsator 6 Fluidix-Intelli, 14 Air injector jets with quiet high speed air pump |
| Whirlpool: | 2 Hydro-Air |
| Therapy Seat: | 2 Fluidix Nex Jet, 2 Vortex, 2 Fluidix Intelli-Jet, 2 Pulsator, 6 Fluidix Reflex Jets |
| Foot Jets: | 3 Whirlpool, 2 Accu-Pressure, 3 Vortex Jets |
| Air Controls: | 5 |
| Diverter: | 2 (3-way) |
| Air Injectors: | 14 barbed style |
| Hand Rails: | 2 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4) |
| Filter: | Micro-Clean Ultra 6541-397 (130 sq ft) Outer Part 6473-165, Inner Part 6473-164 Or Standard Filter = 6540-488 (125 sq ft) |

| | |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Altamar |
| Size: | 81" x 86" x 37.5" |
| Series: | 880 |
| Blower: | 1hp 240V blower motor assembly 6500-148 |
| Board: | 880 Series circuit board Board: 6600-161 Rev.9.51B till 5/2009 then 6600-164 Rev 1.0E |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | "Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310 |
| Panel: | 880 2-pump main panel Panel: 6600-854, |
| Pump #1: | 2.5hp 1sp 240V Universal Pump Brackless pump 6500-352 Bracket 6000-535 (REPLACES THE 6500-902) |
| Pump #2 | 2.5hp 1sp 240V 9:00 rotation 6500-902/Brackless pump 6500-352 Bracket 6500-842 |
| Temp Sensor: | Boxed end connector, thermistor type, resistance can be checked 6600-167 |
| Hi-Limit: | Boxed end connector, thermistor type, resistance can be checked 6600-168 |
| | |
| Weir Gate: | New style sliding weir gate 6540-882 |
| Timer: | Electronic Dallas time chip on circuit board 6760-024 |
| Sanitizer: | Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907 |
| Therapy Jets: | 4 Fluidix Nex, 12 Fluidix ST, 4 Accu-Pressure, 2 Whirlpool, 2 Pulsator, 2 Fluidix Intelli-Jet, 6 Fluidix Refl |
| Whirlpool: | 3 Whirlpool |
| Therapy Seat: | 2 Vortex, 2 Fluidix Intelli-Jet |
| Foot Jets: | 3 Whirlpool, 2 Accu-Pressure |
| Air Controls: | 5 |
| Diverter: | 1 (3-way) |
| Air Injectors: | 14 barbed style |
| Hand Rails: | 1 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4) |
| Filter: | MicroClean Ultra 6473-164 inner core 6473-165 outer core 6473-165 MicroClean Ultra 6473-164 inner core 6473-165 outer core |

| | |
|-----------------------|---------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Burlington (With Circ Pump) |
| Size: | 81" x 86" x 37.5" |
| Series: | 680 |
| Blower: | N/A |
| Board: | 680 Series with 3.57+ Eprom Board 6600-288, Eprom 6660-277 |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | 5.5kW 240V stainless steel tube heater 6500-402 |
| Panel: | 1-pump 680 panel 6600-651 |
| Pump #1: | 2.5hp 2sp 240V 7:00 rotation 6500-768 |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-144 |
| Flow Switch | 2560-040, Flow Switch in a transparent tee. |
| Weir Gate: | New style skimmer assembly with floating weir canister 373042 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | Laing Circ Pump 6000-125 |
| Therapy Jets: | 6 DL, 2 DX, 8 Accu-Pressure |
| Whirlpool: | N/A |
| Therapy Seats: | 5 DVX, 10 DXL |
| Foot Jets: | 2 DVX |
| Air Controls: | 2 |
| Diverter: | 1 |
| Air Injectors: | N/A |
| Hand Rails: | N/A |
| Filter: | 50 sq ft 373045 |

| | |
|------------------------|---------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Burlington |
| Size: | 81" x 86" x 37.5" |
| Series: | 680 |
| Blower: | N/A |
| Board: | 680 Series with 5.57+ Eprom Board 6600-287, Eprom 6660-276 |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | 5.5kW 240V stainless steel tube heater 6500-156 |
| Panel: | 1-pump 680 panel 6600-651 |
| Pump #1: | 2.5hp 2sp 240V Universal Pump 6500-355 and mounting bracket 6000-532 |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-144 |
| Pressure Switch | 6560-869 |
| Weir Gate: | New style skimmer assembly with floating weir canister 373042 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | Optional Circ Pump |
| Therapy Jets: | 6 DL, 2 DX, 8 Accu-Pressure |
| Whirlpool: | N/A |
| Therapy Seats: | 5 DVX, 10 DXL |
| Foot Jets: | 2 DVX |
| Air Controls: | 2 |
| Diverter: | 1 |
| Air Injectors: | N/A |
| Hand Rails: | N/A |
| Filter: | 50 sq ft 373045 |

| | |
|-----------------------|------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Camden |
| Size: | 76" x 83" x 33" |
| Series: | 780 |
| Blower: | N/A |
| Board: | 780 Series with 3.57+ Eprom Board 6600-286, Eprom 6660-277 |
| Transformer: | 120V - 12V 6560-274 |
| Heater: | 4kW@240V, 1kW@120V, stainless steel tube heater 6500-402 |
| Panel: | 2007 780 1-pump panel 6600-881 |
| Pump #1: | 2.5hp 2sp 240V (pump mount pt# 6000-532) 6500-343 |
| Pump # 2 | N/A |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-144 |
| Flow Switch | 2560-040, Flow Switch in a transparent tee. |
| Weir Gate: | New style sliding weir gate 6540-882 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | Automatic brominator and 24 hour circ pump 6500-035, Sunzone CD installation ready |
| Therapy Jets: | 2 SMT Micro Adjustable, 2 SMT Fluidix Jets, 6 SMT Mini Jets |
| Whirlpool: | N/A |
| Therapy Seat: | 9 Accu-Pressure, 2 SMT Micro Adjustable, 1 SMT Jet |
| Foot Jets: | 2 SMT |
| Air Controls: | 4 (with light rings) |
| Diverter: | 1 (with light ring) |
| Air Injectors: | N/A |
| Hand Rails: | 1 Integral |
| Filter: | MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft) |

| | |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Capri |
| Size: | 68" x 82" x 30.5" |
| Series: | 880 |
| Blower: | 1.5hp 240V blower motor assembly 6500-148 |
| Board: | 880 Series circuit board with 9.51B Eprom Board: 6600-161, Eprom: 6660-268, Use 6600-164 as of 5/09 |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | "Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310 |
| Panel: | 880 1-pump panel Panel: 6600-865 |
| Pump #1: | 2.5hp 1sp 240V Universal Pump 6500-352 and mounting bracket 6000-535 |
| Pump #2/ Pump #3 | N/A |
| Temp Sensor: | Boxed end connector, thermistor type, resistance can be checked 6600-167 |
| Hi-Limit: | Boxed end connector, thermistor type, resistance can be checked 6600-168 |
| Flow Switch | 6560-860, Flow Switch with transparent tee. |
| Weir Gate: | New style sliding weir gate 6540-882 |
| Timer: | Electronic Dallas time chip on circuit board 6760-024 |
| Sanitizer: | Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907 |
| Therapy Jets: | 3 Fluidix Intelli-Jet (6000-315), 1 Vortex (6000-310), 2 Pulsator |
| Whirlpool: | N/A |
| Therapy Seat: | 10 Fluidix ST (6540-643), 2 Fluidix Nex (6540-857), 6 Reflex (6541-172) |
| Foot Jets: | N/A |
| Air Controls: | 2 |
| Diverter: | 1 (3-way) |
| Air Injectors: | 12 Barbed style |
| Hand Rails: | 1 High quality stainless steel handles 24" Handrail: 6570-505, Grommets: 6540-652 (2) |
| Filter: | MicroClean Ultra Filter 6541-397, outer 6473-165, inner 6473-164 or Standard Filter 6540-488 |

| | |
|-----------------------|--------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Certa |
| Size: | 81" x 86" x 37.5" |
| Series: | 780 |
| Blower: | N/A |
| Board: | 780 Series with 3.57+ Eprom Board 6600-288, Eprom 6660-277 |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | 5.5kW 240V stainless steel tube heater 6500-402 |
| Panel: | 2-pump panel 6600-880 |
| Pump #1: | 2.5hp 2sp 240V (pump mount pt# 6000-532) 6500-343 |
| Pump #2: | 1.5hp 1sp 240V (pump mount pt# 6000-532) 6500-351 |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-144 |
| Flow Switch | 2560-040, Flow Switch in a transparent tee. |
| Weir Gate: | New style sliding weir gate 6540-882 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | Built-in brominator and 24-hour circulation pump 6000-125 Sunzone CD installation ready |
| Therapy Jets: | 4 SMT Micro , 8 SMT Fluidix, 4 SMT Mini |
| Whirlpool: | N/A |
| Therapy Seat: | 11 Accu-Pressure, 2 SMT Micro, 3 SMT |
| Foot Jets: | 2 SMT |
| Air Controls: | 4 (with light rings) |
| Diverter: | 1 (with light ring) |
| Air Injectors: | N/A |

| | |
|--------------------|------------------------------------------------------------------------------------------------|
| Hand Rails: | N/A |
| Filter: | MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft) |

| | |
|-----------------------|--------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Chelsee |
| Size: | 88" x 88" x 36" |
| Series: | 780 |
| Blower: | N/A |
| Board: | 780 Series with 3.57+ Eprom Board 6600-288, Eprom 6660-277 |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | 5.5kW 240V stainless steel tube heater 6500-402 |
| Panel: | 780 2-pump panel 6600-880 |
| Pump #1: | 2.5hp 2sp 240V (pump mount pt# 6000-532) 6500-343 |
| Pump #2: | 2hp 1sp 240V (pump mount pt# 6000-532) 6500-341 |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-144 |
| Flow Switch | 2560-040, Flow Switch in a transparent tee. |
| Weir Gate: | New style sliding weir gate 6540-882 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | Built-in brominator and 24-hour circulation pump 6000-125 Sunzone CD installation ready |
| Therapy Jets: | 8 SMT Fluidix, |
| Whirlpool: | N/A |
| Therapy Seats: | 3 SMT, 8 SMT Micro, 11 Accu Pressure |
| Foot Jets: | 1 SMT Turbo, 4 SMT Mini |
| Air Controls: | 4 (with optional light rings) |
| Diverter: | 1 (with optional light ring) |
| Air Injectors: | N/A |
| Hand Rails: | 1 Integral |
| Filter: | MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) |

filter.

Standard Filter 6540-488 (125 sq ft)

| | |
|------------------------|---------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Denali |
| Size: | 78" Round x 36" |
| Series: | 680 |
| Blower: | N/A |
| Board: | 680 Series with 5.57+ Eprom Board 6600-289, Eprom 6660-284 |
| Transformer: | 120V - 12V 6560-274 |
| Heater: | 1kW@120V, 4kW@240V stainless steel tube heater 6000-338 |
| Panel: | 1-Pump 680 panel 6600-652 |
| Pump #1: | 1.5hp 2sp 120V 6500-345 and mounting bracket 6000-532 |
| Pump #2: | N/A |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-144 |
| Pressure Switch | 6560-869 |
| Weir Gate: | New style skimmer assembly with floating weir canister 373042 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | Ozone ready with factory installed ozone injector |
| Therapy Jets: | 8 DX, |
| Whirlpool: | N/A |
| Therapy Seats: | 7 DXL, 3 DVX |
| Foot Jets: | 1DVX |
| Air Controls: | 2 |
| Diverter: | 1 Divert-a-Jet |
| Air Injectors: | N/A |
| Hand Rails: | N/A |
| Filter: | 50 sq ft 373045 |

| | |
|-----------------------|------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Dover |
| Size: | 69" x 82" x 30.5" |
| Series: | 780 |
| Blower: | N/A |
| Board: | 780 Series with 3.57+ Eprom Board 6600-286, Eprom 6660-277 |
| Transformer: | 120V - 12V 6560-274 |
| Heater: | 4kW@240V, 1kW@120V, stainless steel tube heater 6500-063 |
| Panel: | 780 Series 6600-550 |
| Pump #1: | 1.5hp 2sp 120V 6500-345 pump mount pt# 6000-532 |
| Pump #2: | N/A |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked. 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-068 |
| Flow Switch | 6560-852, Flow Switch in a PVC tee. |
| Weir Gate: | New style sliding weir gate 6540-882 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | Automatic brominator, 24 Hour circ pump 6500-460 Sunzone CD ready |
| Therapy Jets: | 9 Accu-pressure Jets, 6 SMT Fluidix |
| Whirlpool: | N/A |
| Therapy Seat: | 2 SMT Micro, 5 SMT |
| Foot Jets: | 2 SMT Mini |
| Air Controls: | 2 |
| Diverter: | 1 (3-way) |
| Air Injectors: | N/A |
| Hand Rails: | N/A |
| Filter: | MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft) |

| | |
|-----------------------|------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Hamilton |
| Size: | 92"x 92"x36" |
| Series: | 780 |
| Blower: | N/A |
| Board: | 780 Series with 3.57+ Eprom Board 6600-288, Eprom 6660-277 |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | 5.5kW 240V stainless steel tube heater 6500-402 |
| Panel: | 780 Series 2-pump panel 6600-880 |
| Pump #1: | 2.5hp 2sp 240V (pump mount pt# 6000-532) 6500-343 |
| Pump #2: | 2hp 1sp 240V (pump mount pt# 6000-532) 6500-341 |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-144 |
| Flow Switch | 2560-040, Flow Switch in a transparent tee. |
| Weir Gate: | New style sliding weir gate 6540-883 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | Built-in brominator and 24-hour circulation pump 6000-125 Sunzone CD installation ready |
| Therapy Jets: | 12 SMT Fluidix, 11 Accu-Pressure 1 SMT Mini, 3 SMT Jets |
| Whirlpool: | N/A |
| Therapy Seats: | 12 SMT Micro, |
| Foot Jets: | 2 SMT Mini |
| Air Controls: | 3 (with light rings) |
| Diverter: | 1 (with light ring) |
| Air Injectors: | N/A |
| Hand Rails: | 1 intregated |
| Filter: | MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft) |

| | |
|-----------------------|------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Hartford (With Circ Pump) |
| Size: | 88" x 88" x 36" |
| Series: | 680 |
| Blower: | N/A |
| Board: | 780 Series with 3.57 Eprom 6600-288 Eprom 3.56 # 6660-277 |
| Transformer: | 120V - 12V 6560-274 |
| Heater: | 5.5 Kw Stainlees Steel Tube #6500-402. |
| Panel: | 680 Series 2 Pump Panel 6600-551 |
| Pump #1: | 2.5hp 2sp 230V 6500-343 mount 6000-532 |
| Pump #2: | 6500-341 2HP 1 SP 230V mount 6000-532 |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked. 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-144 |
| Flow Switch | 2560-040, Flow Switch in a transparent tee. |
| Weir Gate: | New style weir gate 6540-901 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | Laing 230V Circ Pump 6000-125 Sunzone CD ready |
| Therapy Jets: | 6 DXL Jets 6541-322, 6 DX Jets 6541-201, 10 DVX Jets 6541-435, 9 DL Jets 6541-221 |
| Whirlpool: | 1 DST 6541-503 |
| Therapy Seat: | 6 DL 6541-221, 4 DX 6541-201 |
| Foot Jets: | N/A |
| Air Controls: | 4 |
| Diverter: | 1 (3-way) |
| Air Injectors: | N/A |
| Hand Rails: | N/A |
| Filter: | MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft) |

| | |
|------------------------|-----------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Hartford (Without Circ Pump) |
| Size: | 88" x 88" x 36" |
| Series: | 680 |
| Blower: | N/A |
| Board: | 780 Series with 5.57 Eprom 6600-287 Eprom 5.57 # 6660-284 |
| Transformer: | 120V - 12V 6560-274 |
| Heater: | 5.5 Kw Stainlees Steel Tube # 6000-156. |
| Panel: | 680 Series 2 Pump Panel 6600-551 |
| Pump #1: | 2.5hp 2sp 230V 6500-343 mount 6000-532 |
| Pump #2: | 6500-341 2HP 1 SP 230V mount 6000-532 |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked. 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-144 |
| Pressure Switch | 6560-869 |
| Weir Gate: | New style weir gate 6540-901 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | N/A |
| Therapy Jets: | 6 DXL Jets 6541-322, 6 DX Jets 6541-201, 10 DVX Jets 6541-435, 9 DL Jets 6541-221 |
| Whirlpool: | 1 DST 6541-503 |
| Therapy Seat: | 6 DL 6541-221, 4 DX 6541-201 |
| Foot Jets: | N/A |
| Air Controls: | 4 |
| Diverter: | 1 (3-way) |
| Air Injectors: | N/A |
| Hand Rails: | N/A |
| Filter: | 373043 |

| | |
|-----------------------|---------------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Hawthorne ((With Circ Pump) |
| Size: | 92" x 92" x 36" |
| Series: | 680 |
| Blower: | N/A |
| Board: | 680 Series with 3.57+ Eprom Board 6600-288, Eprom 6660-277 Board 6600-288, Eprom 6660-277 |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | 5.5 Kw Stainless Steel Tube #6500-402. |
| Panel: | 2008 680 2-pump panel 6600-651 |
| Pump #1: | 2.5hp 2sp 240V Mount 6500-343 6000-532 |
| Pump # 2 | 6500-341 2.5Hp 1sp 230V, and Mount 6000-532 |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-144 |
| Flow Switch | 2560-040, Flow Switch in a transparent tee. |
| Weir Gate: | New style weir gate 6540-901 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | Optional 24 hour circ pump 6000-125, Sunzone CD installation ready |
| Therapy Jets: | 8 DVX Jets 6541-435, 11 DXL Jets 6541-322, 6 DL Jets 6541-221 4 DV Jets 6541-211, 6 DX Jets 6541-201 |
| Whirlpool: | 1 DST Jet 6541-503 |
| Therapy Seat: | 4 DL Jets 6541-221, 2 DX Jets 6541-201 |
| Foot Jets: | 2 DVX Jets 6541-435 |
| Air Controls: | 3 |
| Diverter: | 1 (with light ring) |
| Air Injectors: | N/A |
| Hand Rails: | 1 Integral |
| Filter: | MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft) |

| | |
|------------------------|---------------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Hawthorne (Without Circ Pump) |
| Size: | 92" x 92" x 36" |
| Series: | 680 |
| Blower: | N/A |
| Board: | 680 Series with 5.57 Eprom Circuit Board 6600-287, 5.56+ Eprom 6660-284 |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | 5.5 Kw Stainless Steel Tube # 6000-156 |
| Panel: | 2008 680 2-pump panel 6600-651 |
| Pump #1: | 2.5hp 2sp 240V Mount 6500-343 6000-532 |
| Pump # 2 | 6500-341 2.5Hp 1sp 230V, and Mount 6000-532 |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-144 |
| Pressure Switch | 6560-869 |
| Weir Gate: | New style weir gate 6540-901 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | Sunzone CD installation ready |
| Therapy Jets: | 8 DVX Jets 6541-435, 11 DXL Jets 6541-322, 6 DL Jets 6541-221 4 DV Jets 6541-211, 6 DX Jets 6541-201 |
| Whirlpool: | 1 DST Jet 6541-503 |
| Therapy Seat: | 6 DL Jets 6541-221, 2 DX Jets 6541-201 |
| Foot Jets: | 2 DVX Jets 6541-435 |
| Air Controls: | 3 |
| Diverter: | 1 (with light ring) |
| Air Injectors: | N/A |
| Hand Rails: | 1 Integral |
| Filter: | MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft) |

| | |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Majesta |
| Size: | 81" x 86" x 37.5" |
| Series: | 880 |
| Blower: | 1.5hp 240V blower motor assembly 6500-148 |
| Board: | 880 Series circuit board with 9.51B Eprom Board: 6600-161, Eprom: 6660-268, use 6600-164 as of 5/09 |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | "Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310 |
| Panel: | 880 2-pump main panel Panel: 6600-854 |
| Pump #1: | 2.5hp 1sp 240V Universal Pump 6500-352 and mounting bracket 6000-535 |
| Pump #2/ Pump #3 | 2.5hp 1sp 240V Universal Pump 6500-352 and mounting bracket 6000-535 |
| Temp Sensor: | Boxed end connector, thermistor type, resistance can be checked 6600-167 |
| Hi-Limit: | Boxed end connector, thermistor type, resistance can be checked 6600-168 |
| Flow Switch | 6560-860, Flow switch with transparent tee. |
| Weir Gate: | New style sliding weir gate 6540-882 |
| Timer: | Electronic Dallas time chip on circuit board 6760-024 |
| Sanitizer: | Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907 |
| Therapy Jets: | 2 Fluidix Nex, 12 Fluidix ST, 1 Whirlpool, 14 Air Injector Jets |
| Whirlpool: | 1 Whirlpool |
| Therapy Seat: | 4 Fluidix Nex, 3 Vortex, 6 Fluidix Intelli-Jet, 6 Fluidix Reflex Jets |
| Foot Jets: | 4 Accu-Pressure, 1 Pro-Touch II |
| Air Controls: | 5 |
| Diverter: | 1 (3-way) |
| Air Injectors: | 14 barbed style |
| Hand Rails: | 1 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4) |
| Filter: | MicroClean Ultra 6541-397, outer 6473-165, inner 6473-164 or Standard Filter 6540-488 |

| | |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Marin 75" x 91" x 33" |
| Series: | 880 |
| Blower: | 1.5hp 240V blower motor assembly 6500-148 |
| Board: | 880 Series circuit board with 9.51B Eprom Board: 6600-161, Eprom: 6660-268 Use 6600-164 as of 5/09 |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | "Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310 |
| Panel: | 880 2-pump panel Panel: 6600-854 |
| Pump #1: | 2.5hp 1sp 240V Universal Pump 6500-352, and mounting bracket 6000-535 |
| Pump #2: | 2.5hp 1sp 240V Universal Pump 6500-365 and mounting bracket 6000-535 |
| Temp Sensor: | Boxed end connector, thermistor type, resistance can be checked. 6600-167 |
| Hi-Limit: | Boxed end connector, thermistor type, resistance can be checked. 6600-168 |
| Flow Switch | 6600-860, Flow Switch with transparent tee. |
| Weir Gate: | New style sliding weir gate 6540-882 |
| Timer: | Electronic Dallas time chip on circuit board 6760-024 |
| Sanitizer: | Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907 |
| Therapy Jets: | 7 Fluidix-Intelli, 2 Vortex, 2 Pulsator |
| Whirlpool: | 1 Hydro-Air |
| Therapy Seat: | 10 Fluidix ST, 2 Accu-Pressure 2 Fluidix Nex 6 Fluidix-Reflex |
| Foot Jets: | 2 Hydro-Air |
| Air Controls: | 5 |
| Diverter: | 1 (3-way) |
| Air Injectors: | 12 Barbed style |
| Hand Rails: | N/A |
| Filter: | MicroClean Ultra 6541-165, Outer 6473-165 and inner 6473-164 or Standard Filter 6540-488 |

| | |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Maxxus |
| Size: | 90" x 110" x 41.5" |
| Series: | 880 |
| Blower: | 1hp 240V blower motor assembly 6500-148 |
| Board: | 880 Series circuit board with 9.61B Eprom Board: 6600-160, Eprom: 6660-269 |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | "Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310 |
| Panel: | 880 2-pump main panel Panel: 6600-854 |
| Pump #1: | 2.5hp 1sp 240V Universal 6500-352, Mounting Bracket 6000-535 |
| Pump #2/ Pump #3 | #2-2.5hp 1sp 240V Universal, Part # 6500-352, Mounting Bracket 6000-535 #3-2.5hp 1sp 240V Universal, Part # 6500-352, Mounting Bracket 6000-535 |
| Temp Sensor: | Boxed end connector, thermistor type, resistance can be checked 6600-167 |
| Hi-Limit: | Boxed end connector, thermistor type, resistance can be checked 6600-168 |
| Flow Switch | 6560-860, Flow Switch with transparent tee. |
| Weir Gate: | New style sliding weir gate 6540-882 |
| Timer: | Electronic Dallas time chip on circuit board 6760-024 |
| Sanitizer: | Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907 |
| Therapy Jets: | 12 Fluidix ST, 4 Fluidix Nex, 4 Pulsator, 6 Accu-Pressure, 5 Fluidix Intelli-Jet, 4 Vortex |
| Whirlpool: | 2 Whirlpool |
| Therapy Seat: | 6 Fluidix Reflex, 4 Fluidix Nex, 2 Pulsator |
| Foot Jets: | 8 Accu-Pressure, |
| Air Controls: | 8 |
| Diverter: | 2 (3-way) |
| Air Injectors: | 14 Barbed Injectors |
| Hand Rails: | 2 High quality stainless steel handles Rail: 6570-512, Grommets: 6540-651 (4) |
| Filter: | MicroClean Ultra Filter 6541-397, Outer 6473-165, Inner 6473-164 or |

| | |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Optima |
| Size: | 89" x 89" x 37.5" |
| Series: | 880 |
| Blower: | 1hp 240V blower motor assembly 6500-148 |
| Board: | 880 Series circuit board Rev. 1.0E Board: 6600-164 Micro Chip 6560-514 (also stock 6600-161 board) |
| Transformer: | 240V - 12V 6560-274 |
| Heater: | "Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310 |
| Panel: | 880 2-pump main panel Panel: 6600-854 |
| Pump #1: | 2.5hp 1sp 240V Universal Pump 6500-352 and mounting bracket 6000-535 |
| Pump #2 | 2.5hp 1sp 240V Universal Pump 6500-352 mounting bracket 6000-535 |
| Temp Sensor: | Boxed end connector, thermistor type, resistance can be checked 6600-167 |
| Hi-Limit: | Boxed end connector, thermistor type, resistance can be checked 6600-168 |
| Flow Switch | 6560-860, Flow Switch with transparent tee. |
| Weir Gate: | New style sliding weir gate 6540-882 |
| Timer: | Electronic Micro Chip on circuit board Rev. 1.0E 6560-514 |
| Sanitizer: | Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907 |
| Therapy Jets: | 7 Fluidix Intelli-Jet, 4 Accu-Pressure, 2 Vortex |
| Whirlpool: | N/A |
| Therapy Seat: | 12 Fluidix ST, 4 Fluidix Nex Jets and 1 Whirlpool |
| Foot Jets: | 8 Accu-Pressure, 1 Whirlpool |
| Air Controls: | 5 |
| Diverter: | 2 (3-way) |
| Air Injectors: | 14 barbed style |
| Hand Rails: | 2 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4) |
| Filter: | MicroClean Ultra Filter 6473-165 Outer & 6473-164 Inner or Standard Filter 6540-488 |

| | |
|------------------------|---------------------------------------------------------------------------------|
| Year: | 2009 |
| Model: | Tacoma |
| Size: | 68" x 68" x 31" |
| Series: | 680 |
| Blower: | N/A |
| Board: | 680 Series with 5.57+ Eprom Board 6600-289, Eprom 6660-284 |
| Transformer: | 120V - 12V 6560-274 |
| Heater: | 1kW@120V, 4kW@240V Stainless steel tube heater 6000-338 |
| Panel: | 1-pump 680 panel 6600-652 |
| Pump #1: | 1.5hp 2sp 120V 6500-345, and mounting bracket 6000-532 |
| Pump #2: | N/A |
| Temp Sensor: | Curled Finger connector, thermistor type, resistance can be checked 6600-166 |
| Hi-Limit: | Curled Finger connector, thermistor type, resistance can be checked 6600-144 |
| Pressure Switch | 6560-869 |
| Weir Gate: | New style skimmer assembly with floating weir canister 6540-999 |
| Timer: | Electronic counter on circuit board |
| Sanitizer: | Ozone ready with factory installed ozone injector |
| Therapy Jets: | 6 DXL, |
| Whirlpool: | N/A |
| Therapy Seats: | 2 DXL, 3 DVX |
| Foot Jets: | 1 DVX |
| Air Controls: | 2 |
| Diverter: | N/A |
| Air Injectors: | N/A |
| Hand Rails: | N/A |
| Filter: | 35 sq ft 6000-136 |