


*SUNDANCE SPAS*  
*PARTS HISTORY*

**2009**



<b>Year:</b>	2009
<b>Model:</b>	Cameo
<b>Size:</b>	89" x 89" x 37.5"
<b>Series:</b>	880
<b>Blower:</b>	1hp 240V blower motor assembly 6500-148
<b>Board:</b>	880 Series circuit board with 1.0E Micro Chip Board: 6600-164, Micro Chip: 6560-514 (also stock 6600-161 board)
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	880 2-pump main panel Panel: 6600-854
<b>Pump #1:</b>	2.5hp 1sp 240V Universal Pump 6500-352, and mounting bracket 6000-535
<b>Pump #2</b>	2.5hp 1sp 240V Universal Pump 6500-352, and mounting bracket 6000-535
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked 6600-167
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked 6600-168
<b>Flow Switch</b>	6560-860, Flow Switch with clear transparent tee.
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Micro Chip Rev 1.0E 6560-514
<b>Sanitizer:</b>	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
<b>Therapy Jets:</b>	4 Fluidix Nex Jet, 12 Fluidix St, 4 Accu-Pressure, 1 Whirlpool, 2 Pulsator 6 Fluidix-Intelli, 14 Air injector jets with quiet high speed air pump
<b>Whirlpool:</b>	2 Hydro-Air
<b>Therapy Seat:</b>	2 Fluidix Nex Jet, 2 Vortex, 2 Fluidix Intelli-Jet, 2 Pulsator, 6 Fluidix Reflex Jets
<b>Foot Jets:</b>	3 Whirlpool, 2 Accu-Pressure, 3 Vortex Jets
<b>Air Controls:</b>	5
<b>Diverter:</b>	2 (3-way)
<b>Air Injectors:</b>	14 barbed style
<b>Hand Rails:</b>	2 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4)
<b>Filter:</b>	Micro-Clean Ultra 6541-397 (130 sq ft) Outer Part 6473-165, Inner Part 6473-164 Or Standard Filter = 6540-488 (125 sq ft)

<b>Year:</b>	2009
<b>Model:</b>	Altamar
<b>Size:</b>	81" x 86" x 37.5"
<b>Series:</b>	880
<b>Blower:</b>	1hp 240V blower motor assembly 6500-148
<b>Board:</b>	880 Series circuit board Board: 6600-161 Rev.9.51B till 5/2009 then 6600-164 Rev 1.0E
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	880 2-pump main panel Panel: 6600-854,
<b>Pump #1:</b>	2.5hp 1sp 240V Universal Pump Bracketless pump 6500-352 Bracket 6000-535 (REPLACES THE 6500-902)
<b>Pump #2</b>	2.5hp 1sp 240V 9:00 rotation 6500-902/Bracketless pump 6500-352 Bracket 6500-842
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked 6600-167
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked 6600-168
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
<b>Therapy Jets:</b>	4 Fluidix Nex, 12 Fluidix ST, 4 Accu-Pressure, 2 Whirlpool, 2 Pulsator, 2 Fluidix Intelli-Jet, 6 Fluidix Refl
<b>Whirlpool:</b>	3 Whirlpool
<b>Therapy Seat:</b>	2 Vortex, 2 Fluidix Intelli-Jet
<b>Foot Jets:</b>	3 Whirlpool, 2 Accu-Pressure
<b>Air Controls:</b>	5
<b>Diverter:</b>	1 (3-way)
<b>Air Injectors:</b>	14 barbed style
<b>Hand Rails:</b>	1 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4)
<b>Filter:</b>	MicroClean Ultra 6473-164 inner core 6473-165 outer core 6473-165 MicroClean Ultra 6473-164 inner core 6473-165 outer core

<b>Year:</b>	2009
<b>Model:</b>	Burlington (With Circ Pump)
<b>Size:</b>	81" x 86" x 37.5"
<b>Series:</b>	680
<b>Blower:</b>	N/A
<b>Board:</b>	680 Series with 3.57+ Eprom Board 6600-288, Eprom 6660-277
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5kW 240V stainless steel tube heater 6500-402
<b>Panel:</b>	1-pump 680 panel 6600-651
<b>Pump #1:</b>	2.5hp 2sp 240V 7:00 rotation 6500-768
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-144
<b>Flow Switch</b>	2560-040, Flow Switch in a transparent tee.
<b>Weir Gate:</b>	New style skimmer assembly with floating weir canister 373042
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Laing Circ Pump 6000-125
<b>Therapy Jets:</b>	6 DL, 2 DX, 8 Accu-Pressure
<b>Whirlpool:</b>	N/A
<b>Therapy Seats:</b>	5 DVX, 10 DXL
<b>Foot Jets:</b>	2 DVX
<b>Air Controls:</b>	2
<b>Diverter:</b>	1
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	50 sq ft 373045

<b>Year:</b>	2009
<b>Model:</b>	Burlington
<b>Size:</b>	81" x 86" x 37.5"
<b>Series:</b>	680
<b>Blower:</b>	N/A
<b>Board:</b>	680 Series with 5.57+ Eprom Board 6600-287, Eprom 6660-276
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5kW 240V stainless steel tube heater 6500-156
<b>Panel:</b>	1-pump 680 panel 6600-651
<b>Pump #1:</b>	2.5hp 2sp 240V Universal Pump 6500-355 and mounting bracket 6000-532
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-144
<b>Pressure Switch</b>	6560-869
<b>Weir Gate:</b>	New style skimmer assembly with floating weir canister 373042
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Optional Circ Pump
<b>Therapy Jets:</b>	6 DL, 2 DX, 8 Accu-Pressure
<b>Whirlpool:</b>	N/A
<b>Therapy Seats:</b>	5 DVX, 10 DXL
<b>Foot Jets:</b>	2 DVX
<b>Air Controls:</b>	2
<b>Diverter:</b>	1
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	50 sq ft 373045

<b>Year:</b>	2009
<b>Model:</b>	Camden
<b>Size:</b>	76" x 83" x 33"
<b>Series:</b>	780
<b>Blower:</b>	N/A
<b>Board:</b>	780 Series with 3.57+ Eprom Board 6600-286, Eprom 6660-277
<b>Transformer:</b>	120V - 12V 6560-274
<b>Heater:</b>	4kW@240V, 1kW@120V, stainless steel tube heater 6500-402
<b>Panel:</b>	2007 780 1-pump panel 6600-881
<b>Pump #1:</b>	2.5hp 2sp 240V (pump mount pt# 6000-532) 6500-343
<b>Pump # 2</b>	N/A
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-144
<b>Flow Switch</b>	2560-040, Flow Switch in a transparent tee.
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Automatic brominator and 24 hour circ pump 6500-035, Sunzone CD installation ready
<b>Therapy Jets:</b>	2 SMT Micro Adjustable, 2 SMT Fluidix Jets, 6 SMT Mini Jets
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	9 Accu-Pressure, 2 SMT Micro Adjustable, 1 SMT Jet
<b>Foot Jets:</b>	2 SMT
<b>Air Controls:</b>	4 (with light rings)
<b>Diverter:</b>	1 (with light ring)
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	1 Integral
<b>Filter:</b>	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft)

<b>Year:</b>	2009
<b>Model:</b>	Capri
<b>Size:</b>	68" x 82" x 30.5"
<b>Series:</b>	880
<b>Blower:</b>	1.5hp 240V blower motor assembly 6500-148
<b>Board:</b>	880 Series circuit board with 9.51B Eprom Board: 6600-161, Eprom: 6660-268, Use 6600-164 as of 5/09
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	880 1-pump panel Panel: 6600-865
<b>Pump #1:</b>	2.5hp 1sp 240V Universal Pump 6500-352 and mounting bracket 6000-535
<b>Pump #2/ Pump #3</b>	N/A
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked 6600-167
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked 6600-168
<b>Flow Switch</b>	6560-860, Flow Switch with transparent tee.
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
<b>Therapy Jets:</b>	3 Fluidix Intelli-Jet (6000-315), 1 Vortex (6000-310), 2 Pulsator
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	10 Fluidix ST (6540-643), 2 Fluidix Nex (6540-857), 6 Reflex (6541-172)
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	2
<b>Diverter:</b>	1 (3-way)
<b>Air Injectors:</b>	12 Barbed style
<b>Hand Rails:</b>	1 High quality stainless steel handles 24" Handrail: 6570-505, Grommets: 6540-652 (2)
<b>Filter:</b>	MicroClean Ultra Filter 6541-397, outer 6473-165, inner 6473-164 or Standard Filter 6540-488

<b>Year:</b>	2009
<b>Model:</b>	Certa
<b>Size:</b>	81" x 86" x 37.5"
<b>Series:</b>	780
<b>Blower:</b>	N/A
<b>Board:</b>	780 Series with 3.57+ Eprom Board 6600-288, Eprom 6660-277
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5kW 240V stainless steel tube heater 6500-402
<b>Panel:</b>	2-pump panel 6600-880
<b>Pump #1:</b>	2.5hp 2sp 240V (pump mount pt# 6000-532) 6500-343
<b>Pump #2:</b>	1.5hp 1sp 240V (pump mount pt# 6000-532) 6500-351
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-144
<b>Flow Switch</b>	2560-040, Flow Switch in a transparent tee.
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Built-in brominator and 24-hour circulation pump 6000-125 Sunzone CD installation ready
<b>Therapy Jets:</b>	4 SMT Micro , 8 SMT Fluidix, 4 SMT Mini
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	11 Accu-Pressure, 2 SMT Micro, 3 SMT
<b>Foot Jets:</b>	2 SMT
<b>Air Controls:</b>	4 (with light rings)
<b>Diverter:</b>	1 (with light ring)
<b>Air Injectors:</b>	N/A



<b>Hand Rails:</b>	N/A
<b>Filter:</b>	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft)

<b>Year:</b>	2009
<b>Model:</b>	Chelsee
<b>Size:</b>	88" x 88" x 36"
<b>Series:</b>	780
<b>Blower:</b>	N/A
<b>Board:</b>	780 Series with 3.57+ Eprom Board 6600-288, Eprom 6660-277
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5kW 240V stainless steel tube heater 6500-402
<b>Panel:</b>	780 2-pump panel 6600-880
<b>Pump #1:</b>	2.5hp 2sp 240V (pump mount pt# 6000-532) 6500-343
<b>Pump #2:</b>	2hp 1sp 240V (pump mount pt# 6000-532) 6500-341
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-144
<b>Flow Switch</b>	2560-040, Flow Switch in a transparent tee.
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Built-in brominator and 24-hour circulation pump 6000-125 Sunzone CD installation ready
<b>Therapy Jets:</b>	8 SMT Fluidix,
<b>Whirlpool:</b>	N/A
<b>Therapy Seats:</b>	3 SMT, 8 SMT Micro, 11 Accu Pressure
<b>Foot Jets:</b>	1 SMT Turbo, 4 SMT Mini
<b>Air Controls:</b>	4 (with optional light rings)
<b>Diverter:</b>	1 (with optional light ring)
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	1 Integral
<b>Filter</b>	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft)



<b>Year:</b>	2009
<b>Model:</b>	Denali
<b>Size:</b>	78" Round x 36"
<b>Series:</b>	680
<b>Blower:</b>	N/A
<b>Board:</b>	680 Series with 5.57+ Eprom Board 6600-289, Eprom 6660-284
<b>Transformer:</b>	120V - 12V 6560-274
<b>Heater:</b>	1kW@120V, 4kW@240V stainless steel tube heater 6000-338
<b>Panel:</b>	1-Pump 680 panel 6600-652
<b>Pump #1:</b>	1.5hp 2sp 120V 6500-345 and mounting bracket 6000-532
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-144
<b>Pressure Switch</b>	6560-869
<b>Weir Gate:</b>	New style skimmer assembly with floating weir canister 373042
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Ozone ready with factory installed ozone injector
<b>Therapy Jets:</b>	8 DX,
<b>Whirlpool:</b>	N/A
<b>Therapy Seats:</b>	7 DXL, 3 DVX
<b>Foot Jets:</b>	1DVX
<b>Air Controls:</b>	2
<b>Diverter:</b>	1 Divert-a-Jet
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	50 sq ft 373045

<b>Year:</b>	2009
<b>Model:</b>	Dover
<b>Size:</b>	69" x 82" x 30.5"
<b>Series:</b>	780
<b>Blower:</b>	N/A
<b>Board:</b>	780 Series with 3.57+ Eprom Board 6600-286, Eprom 6660-277
<b>Transformer:</b>	120V - 12V 6560-274
<b>Heater:</b>	4kW@240V, 1kW@120V, stainless steel tube heater 6500-063
<b>Panel:</b>	780 Series 6600-550
<b>Pump #1:</b>	1.5hp 2sp 120V 6500-345 pump mount pt# 6000-532
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-068
<b>Flow Switch</b>	6560-852, Flow Switch in a PVC tee.
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Automatic brominator, 24 Hour circ pump 6500-460 Sunzone CD ready
<b>Therapy Jets:</b>	9 Accu-pressure Jets, 6 SMT Fluidix
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	2 SMT Micro, 5 SMT
<b>Foot Jets:</b>	2 SMT Mini
<b>Air Controls:</b>	2
<b>Diverter:</b>	1 (3-way)
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft)

<b>Year:</b>	2009
<b>Model:</b>	Hamilton
<b>Size:</b>	92"x 92"x36"
<b>Series:</b>	780
<b>Blower:</b>	N/A
<b>Board:</b>	780 Series with 3.57+ Eprom Board 6600-288, Eprom 6660-277
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5kW 240V stainless steel tube heater 6500-402
<b>Panel:</b>	780 Series 2-pump panel 6600-880
<b>Pump #1:</b>	2.5hp 2sp 240V (pump mount pt# 6000-532) 6500-343
<b>Pump #2:</b>	2hp 1sp 240V (pump mount pt# 6000-532) 6500-341
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-144
<b>Flow Switch</b>	2560-040, Flow Switch in a transparent tee.
<b>Weir Gate:</b>	New style sliding weir gate 6540-883
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Built-in brominator and 24-hour circulation pump 6000-125 Sunzone CD installation ready
<b>Therapy Jets:</b>	12 SMT Fluidix, 11 Accu-Pressure 1 SMT Mini, 3 SMT Jets
<b>Whirlpool:</b>	N/A
<b>Therapy Seats:</b>	12 SMT Micro,
<b>Foot Jets:</b>	2 SMT Mini
<b>Air Controls:</b>	3 (with light rings)
<b>Diverter:</b>	1 (with light ring)
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	1 intregated
<b>Filter:</b>	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft)

<b>Year:</b>	2009
<b>Model:</b>	Hartford (With Circ Pump)
<b>Size:</b>	88" x 88" x 36"
<b>Series:</b>	680
<b>Blower:</b>	N/A
<b>Board:</b>	780 Series with 3.57 Eprom 6600-288 Eprom 3.56 # 6660-277
<b>Transformer:</b>	120V - 12V 6560-274
<b>Heater:</b>	5.5 Kw Stainlees Steel Tube #6500-402.
<b>Panel:</b>	680 Series 2 Pump Panel 6600-551
<b>Pump #1:</b>	2.5hp 2sp 230V 6500-343 mount 6000-532
<b>Pump #2:</b>	6500-341 2HP 1 SP 230V mount 6000-532
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-144
<b>Flow Switch</b>	2560-040, Flow Switch in a transparent tee.
<b>Weir Gate:</b>	New style weir gate 6540-901
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Laing 230V Circ Pump 6000-125 Sunzone CD ready
<b>Therapy Jets:</b>	6 DXL Jets 6541-322, 6 DX Jets 6541-201, 10 DVX Jets 6541-435, 9 DL Jets 6541-221
<b>Whirlpool:</b>	1 DST 6541-503
<b>Therapy Seat:</b>	6 DL 6541-221, 4 DX 6541-201
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	4
<b>Diverter:</b>	1 (3-way)
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft)

<b>Year:</b>	2009
<b>Model:</b>	Hartford (Without Circ Pump)
<b>Size:</b>	88" x 88" x 36"
<b>Series:</b>	680
<b>Blower:</b>	N/A
<b>Board:</b>	780 Series with 5.57 Eprom 6600-287 Eprom 5.57 # 6660-284
<b>Transformer:</b>	120V - 12V 6560-274
<b>Heater:</b>	5.5 Kw Stainlees Steel Tube # 6000-156.
<b>Panel:</b>	680 Series 2 Pump Panel 6600-551
<b>Pump #1:</b>	2.5hp 2sp 230V 6500-343 mount 6000-532
<b>Pump #2:</b>	6500-341 2HP 1 SP 230V mount 6000-532
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked. 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-144
<b>Pressure Switch</b>	6560-869
<b>Weir Gate:</b>	New style weir gate 6540-901
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	N/A
<b>Therapy Jets:</b>	6 DXL Jets 6541-322, 6 DX Jets 6541-201, 10 DVX Jets 6541-435, 9 DL Jets 6541-221
<b>Whirlpool:</b>	1 DST 6541-503
<b>Therapy Seat:</b>	6 DL 6541-221, 4 DX 6541-201
<b>Foot Jets:</b>	N/A
<b>Air Controls:</b>	4
<b>Diverter:</b>	1 (3-way)
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	373043



<b>Year:</b>	2009
<b>Model:</b>	Hawthorne ((With Circ Pump)
<b>Size:</b>	92" x 92" x 36"
<b>Series:</b>	680
<b>Blower:</b>	N/A
<b>Board:</b>	680 Series with 3.57+ Eprom Board 6600-288, Eprom 6660-277 Board 6600-288, Eprom 6660-277
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5 Kw Stainless Steel Tube #6500-402.
<b>Panel:</b>	2008 680 2-pump panel 6600-651
<b>Pump #1:</b>	2.5hp 2sp 240V Mount 6500-343 6000-532
<b>Pump # 2</b>	6500-341 2.5Hp 1sp 230V, and Mount 6000-532
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-144
<b>Flow Switch</b>	2560-040, Flow Switch in a transparent tee.
<b>Weir Gate:</b>	New style weir gate 6540-901
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Optional 24 hour circ pump 6000-125, Sunzone CD installation ready
<b>Therapy Jets:</b>	8 DVX Jets 6541-435, 11 DXL Jets 6541-322, 6 DL Jets 6541-221 4 DV Jets 6541-211, 6 DX Jets 6541-201
<b>Whirlpool:</b>	1 DST Jet 6541-503
<b>Therapy Seat:</b>	4 DL Jets 6541-221, 2 DX Jets 6541-201
<b>Foot Jets:</b>	2 DVX Jets 6541-435
<b>Air Controls:</b>	3
<b>Diverter:</b>	1 (with light ring)
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	1 Integral
<b>Filter:</b>	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft)

<b>Year:</b>	2009
<b>Model:</b>	Hawthorne (Without Circ Pump)
<b>Size:</b>	92" x 92" x 36"
<b>Series:</b>	680
<b>Blower:</b>	N/A
<b>Board:</b>	680 Series with 5.57 Eprom Circuit Board 6600-287, 5.56+ Eprom 6660-284
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	5.5 Kw Stainless Steel Tube # 6000-156
<b>Panel:</b>	2008 680 2-pump panel 6600-651
<b>Pump #1:</b>	2.5hp 2sp 240V Mount 6500-343 6000-532
<b>Pump # 2</b>	6500-341 2.5Hp 1sp 230V, and Mount 6000-532
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-144
<b>Pressure Switch</b>	6560-869
<b>Weir Gate:</b>	New style weir gate 6540-901
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Sunzone CD installation ready
<b>Therapy Jets:</b>	8 DVX Jets 6541-435, 11 DXL Jets 6541-322, 6 DL Jets 6541-221 4 DV Jets 6541-211, 6 DX Jets 6541-201
<b>Whirlpool:</b>	1 DST Jet 6541-503
<b>Therapy Seat:</b>	6 DL Jets 6541-221, 2 DX Jets 6541-201
<b>Foot Jets:</b>	2 DVX Jets 6541-435
<b>Air Controls:</b>	3
<b>Diverter:</b>	1 (with light ring)
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	1 Integral
<b>Filter:</b>	MicroClean I 6540-501 (75 sq ft) & 6540-502 (50 sq ft) Standard Filter 6540-488 (125 sq ft)

<b>Year:</b>	2009
<b>Model:</b>	Majesta
<b>Size:</b>	81" x 86" x 37.5"
<b>Series:</b>	880
<b>Blower:</b>	1.5hp 240V blower motor assembly 6500-148
<b>Board:</b>	880 Series circuit board with 9.51B Eprom Board: 6600-161, Eprom: 6660-268, use 6600-164 as of 5/09
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	880 2-pump main panel Panel: 6600-854
<b>Pump #1:</b>	2.5hp 1sp 240V Universal Pump 6500-352 and mounting bracket 6000-535
<b>Pump #2/ Pump #3</b>	2.5hp 1sp 240V Universal Pump 6500-352 and mounting bracket 6000-535
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked 6600-167
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked 6600-168
<b>Flow Switch</b>	6560-860, Flow switch with transparent tee.
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
<b>Therapy Jets:</b>	2 Fluidix Nex, 12 Fluidix ST, 1 Whirlpool, 14 Air Injector Jets
<b>Whirlpool:</b>	1 Whirlpool
<b>Therapy Seat:</b>	4 Fluidix Nex, 3 Vortex, 6 Fluidix Intelli-Jet, 6 Fluidix Reflex Jets
<b>Foot Jets:</b>	4 Accu-Pressure, 1 Pro-Touch II
<b>Air Controls:</b>	5
<b>Diverter:</b>	1 (3-way)
<b>Air Injectors:</b>	14 barbed style
<b>Hand Rails:</b>	1 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4)
<b>Filter:</b>	MicroClean Ultra 6541-397, outer 6473-165, inner 6473-164 or Standard Filter 6540-488

<b>Year:</b>	2009
<b>Model:</b>	Marin 75" x 91" x 33"
<b>Series:</b>	880
<b>Blower:</b>	1.5hp 240V blower motor assembly 6500-148
<b>Board:</b>	880 Series circuit board with 9.51B Eprom Board: 6600-161, Eprom: 6660-268 Use 6600-164 as of 5/09
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	880 2-pump panel Panel: 6600-854
<b>Pump #1:</b>	2.5hp 1sp 240V Universal Pump 6500-352, and mounting bracket 6000-535
<b>Pump #2:</b>	2.5hp 1sp 240V Universal Pump 6500-365 and mounting bracket 6000-535
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-167
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked. 6600-168
<b>Flow Switch</b>	<b>6600-860, Flow Switch with transparent tee.</b>
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
<b>Therapy Jets:</b>	7 Fluidix-Intelli, 2 Vortex, 2 Pulsator
<b>Whirlpool:</b>	1 Hydro-Air
<b>Therapy Seat:</b>	10 Fluidix ST, 2 Accu-Pressure 2 Fluidix Nex 6 Fluidix-Reflex
<b>Foot Jets:</b>	2 Hydro-Air
<b>Air Controls:</b>	5
<b>Diverter:</b>	1 (3-way)
<b>Air Injectors:</b>	12 Barbed style
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	MicroClean Ultra 6541-165, Outer 6473-165 and inner 6473-164 or Standard Filter 6540-488

<b>Year:</b>	2009
<b>Model:</b>	Maxxus
<b>Size:</b>	90" x 110" x 41.5"
<b>Series:</b>	880
<b>Blower:</b>	1hp 240V blower motor assembly 6500-148
<b>Board:</b>	880 Series circuit board with 9.61B Eprom Board: 6600-160, Eprom: 6660-269
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	880 2-pump main panel Panel: 6600-854
<b>Pump #1:</b>	2.5hp 1sp 240V Universal 6500-352, Mounting Bracket 6000-535
<b>Pump #2/ Pump #3</b>	#2-2.5hp 1sp 240V Universal, Part # 6500-352, Mounting Bracket 6000-535 #3-2.5hp 1sp 240V Universal, Part # 6500-352, Mounting Bracket 6000-535
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked 6600-167
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked 6600-168
<b>Flow Switch</b>	6560-860, Flow Switch with transparent tee.
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic Dallas time chip on circuit board 6760-024
<b>Sanitizer:</b>	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
<b>Therapy Jets:</b>	12 Fluidix ST, 4 Fluidix Nex, 4 Pulsator, 6 Accu-Pressure, 5 Fluidix Intelli-Jet, 4 Vortex
<b>Whirlpool:</b>	2 Whirlpool
<b>Therapy Seat:</b>	6 Fluidix Reflex, 4 Fluidix Nex, 2 Pulsator
<b>Foot Jets:</b>	8 Accu-Pressure,
<b>Air Controls:</b>	8
<b>Diverter:</b>	2 (3-way)
<b>Air Injectors:</b>	14 Barbed Injectors
<b>Hand Rails:</b>	2 High quality stainless steel handles Rail: 6570-512, Grommets: 6540-651 (4)
<b>Filter:</b>	MicroClean Ultra Filter 6541-397, Outer 6473-165, Inner 6473-164 or



<b>Year:</b>	2009
<b>Model:</b>	Optima
<b>Size:</b>	89" x 89" x 37.5"
<b>Series:</b>	880
<b>Blower:</b>	1hp 240V blower motor assembly 6500-148
<b>Board:</b>	880 Series circuit board Rev. 1.0E Board: 6600-164 Micro Chip 6560-514 (also stock 6600-161 board)
<b>Transformer:</b>	240V - 12V 6560-274
<b>Heater:</b>	"Smart Heater" - plastic housing with titanium element, 5.5kW, 240V 6500-310
<b>Panel:</b>	880 2-pump main panel Panel: 6600-854
<b>Pump #1:</b>	2.5hp 1sp 240V Universal Pump 6500-352 and mounting bracket 6000-535
<b>Pump #2</b>	2.5hp 1sp 240V Universal Pump 6500-352 mounting bracket 6000-535
<b>Temp Sensor:</b>	Boxed end connector, thermistor type, resistance can be checked 6600-167
<b>Hi-Limit:</b>	Boxed end connector, thermistor type, resistance can be checked 6600-168
<b>Flow Switch</b>	6560-860, Flow Switch with transparent tee.
<b>Weir Gate:</b>	New style sliding weir gate 6540-882
<b>Timer:</b>	Electronic Micro Chip on circuit board Rev. 1.0E 6560-514
<b>Sanitizer:</b>	Automatic brominator and dynamic flow circulation system Sunzone CD installation ready, circulation/filter pump 6500-907
<b>Therapy Jets:</b>	7 Fluidix Intelli-Jet, 4 Accu-Pressure, 2 Vortex
<b>Whirlpool:</b>	N/A
<b>Therapy Seat:</b>	12 Fluidix ST, 4 Fluidix Nex Jets and 1 Whirlpool
<b>Foot Jets:</b>	8 Accu-Pressure, 1 Whirlpool
<b>Air Controls:</b>	5
<b>Diverter:</b>	2 (3-way)
<b>Air Injectors:</b>	14 barbed style
<b>Hand Rails:</b>	2 High quality stainless steel handles Rail: 6570-501, Grommets: 6540-651 (4)
<b>Filter:</b>	MicroClean Ultra Filter 6473-165 Outer & 6473-164 Inner or Standard Filter 6540-488

<b>Year:</b>	2009
<b>Model:</b>	Tacoma
<b>Size:</b>	68" x 68" x 31"
<b>Series:</b>	680
<b>Blower:</b>	N/A
<b>Board:</b>	680 Series with 5.57+ Eprom Board 6600-289, Eprom 6660-284
<b>Transformer:</b>	120V - 12V 6560-274
<b>Heater:</b>	1kW@120V, 4kW@240V Stainless steel tube heater 6000-338
<b>Panel:</b>	1-pump 680 panel 6600-652
<b>Pump #1:</b>	1.5hp 2sp 120V 6500-345, and mounting bracket 6000-532
<b>Pump #2:</b>	N/A
<b>Temp Sensor:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-166
<b>Hi-Limit:</b>	Curled Finger connector, thermistor type, resistance can be checked 6600-144
<b>Pressure Switch</b>	6560-869
<b>Weir Gate:</b>	New style skimmer assembly with floating weir canister 6540-999
<b>Timer:</b>	Electronic counter on circuit board
<b>Sanitizer:</b>	Ozone ready with factory installed ozone injector
<b>Therapy Jets:</b>	6 DXL,
<b>Whirlpool:</b>	N/A
<b>Therapy Seats:</b>	2 DXL, 3 DVX
<b>Foot Jets:</b>	1 DVX
<b>Air Controls:</b>	2
<b>Diverter:</b>	N/A
<b>Air Injectors:</b>	N/A
<b>Hand Rails:</b>	N/A
<b>Filter:</b>	35 sq ft 6000-136